



YOUR ELECTRICAL EXPERTS

Essential Lighting



1st May - 31st August 2025

Fusion Luminares Lighting Range 2 - 13 | Fusion Lamps Range 14 - 23

Terms and conditions apply. All products are subject to availability and prices correct at the time of print. All prices are exclusive of VAT.

CONTEMPORARY UP / DOWNLIGHTS

GU10 Up / Downlights IP44

- Lamp type: GU10 LED [not included]
- Max. Lamp wattage: 35W
- Guarantee: 1 Year

PIR Features:

- Detection range: 6 m
- Timer adjustment: 8 secs - 5 mins



2704-3165



2704-4374



2704-4377



Code	Finish	Height	Width	Projection	1+	3+
Downlight						
2704-3162	Black	123 mm	86 mm	92 mm	£13.95	£13.50
2704-3165	Stainless Steel	123 mm	86 mm	92 mm	£18.95	£18.50
Up / Downlight						
2704-4374	Black	164 mm	86 mm	92 mm	£18.95	£18.50
2704-4380	Stainless Steel	164 mm	86 mm	92 mm	£22.50	£21.50
Up / Downlight – Photocell						
2754-6328	Black	222 mm	69 mm	106 mm	£24.95	£23.95
2754-6331	Stainless Steel	222 mm	69 mm	106 mm	£26.95	£25.95
Up / Downlight – PIR						
2704-4377	Black	222 mm	69 mm	106 mm	£32.95	£30.95
2704-4386	Stainless Steel	222 mm	69 mm	106 mm	£32.95	£30.95

SPIKE LIGHTS

Spike Lights IP65

- Adjustable spike light
- Lamp type: GU10 [not included]
- Max. Lamp wattage: 35W
- Warranty: 1 Year



2704-3153



2704-3156



2704-3159




FROM
£15.50
+VAT

Code	Finish	Height	Ø	1+	3+
2704-3153	Black	263 mm	63.5 mm	£22.95	£21.95
2704-3156	Black	315 mm	98 mm	£15.50	£14.50
2704-3159	Stainless Steel	273 mm	60 mm	£27.75	£26.75

LED STRIP KITS

24W Plug-In LED Strip Light Kits IP65 – 5 m

- Flexible 8 mm self-adhesive strip
- Can be cut at 50 mm intervals to allow for corners
- Lamp life: 30,000 hrs
- Warranty: 2 Years



Kit contents:

- 12V Plug-in driver

Code	Colour	1+	3+
2384-6476	Warm White – 3000K	£29.95	£28.95
2384-6470	Cool White – 4000K	£29.95	£28.95



ALL PRICES EXCLUDE VAT

36W Plug-In RGB Colour Changing LED Strip Light Kit IP65 – 5 m

- Flexible 10 mm self-adhesive strip
- Can be cut at 100 mm intervals to allow for corners
- Lamp life: 30,000 hrs
- Warranty: 2 Years



Kit contents:

- Remote control
- Receiver
- 12V Plug-in driver



Code	1+	3+
2384-6473	£38.95	£37.95

LED PANELS

Backlit LED TP[a] Panels IP20

- Aluminium body with low glare opal polycarbonate diffuser
- Optional emergency conversion pack – sold separately [2628-3835]
- Non-dimmable
- Lamp life: 50,000 hrs
- Mounted: Recessed
- Guarantee: 5 Years [on-site: 1 year]

2676-5530

Includes:

- Plug-and-play driver

***WHILE STOCKS LAST**

Code	Wattage	Lumens	Length	Width	Depth	1+	10+
Non-Dimmable – Cool White – 4000K							
2676-5530 *	36W	3820 lm	595 mm	595 mm	34 mm	£24.17	£22.96
2676-5524	45W	4830 lm	1195 mm	595 mm	34 mm	£78.95	£76.95
Non-Dimmable – Daylight – 6500K							
2676-5533 *	36W	3820 lm	595 mm	595 mm	34 mm	£24.17	£22.96



NEW

Surface Frames for LED Panels

- Surface mounting frames suitable for use with Fusion LED panels
- This product comes unassembled

Code	Length	Width	Depth	1+	10+
2822-6845	595 mm	595 mm	70 mm	£22.27	£21.35
2822-6833	1195 mm	295 mm	70 mm	£25.41	£24.37
2822-6842	1195 mm	595 mm	70 mm	£32.42	£31.09



FUSION
Luminaires


LED EMERGENCY PACKS

4.3W Maintained Emergency Conversion Pack IP20

- Designed for Fusion LED panels
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- 24 Hour charge time
- Charge indicator LED
- Test button
- Emergency duration: 3 hrs
- Guarantee: 2 Years



Code	Length	Width	Depth	1+	3+
2628-3835	213 mm	95 mm	40 mm	£57.50	£55.50



LED BATTENS

Tri-Colour LED Battens IP20



- Steel body with powder-coated finish
- Polycarbonate UV stabilised diffuser
- Quick-release access system
- Ideal retrofit option for existing T8 or T5 fixtures
- Colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Lamp life: 50,000 hrs
- Dimensions: 72 mm[W] x 72.5 mm[D]
- Mounted: Surface or suspended
- Warranty: 5 Years [on-site: 1 year] [emergency: 2 years]

Microwave features:

- Detection angle [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins



Visit cef.co.uk for video demonstration

Code	Size	Wattage	Sensor	Lumens	Length	Price			
Standard									
2756-5063	2 ft	10W	No	1200 lm	600 mm	1+	£29.95	10+	£29.20
2756-5066	4 ft	20W	No	2400 lm	1200 mm	1+	£31.95	10+	£31.15
2756-5081	5 ft	30W	No	3600 lm	1500 mm	1+	£36.50	10+	£35.60
2756-5093	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£55.50	10+	£54.10
2756-5111	6 ft	40W	No	4800 lm	1800 mm	1+	£44.95	10+	£43.85
Standard – High Output									
2756-5075	4 ft	40W	No	4800 lm	1200 mm	1+	£48.75	10+	£47.25
2756-5099	5 ft	60W	No	7200 lm	1500 mm	1+	£50.25	10+	£48.95
2756-5105	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£76.95	10+	£75.05
2756-5117	6 ft	67W	No	8040 lm	1800 mm	1+	£64.95	10+	£63.35
3 hr Maintained Emergency									
2756-5072	4 ft	20W	No	2400 lm	1200 mm	1+	£76.95	3+	£75.05
2756-5087	5 ft	30W	No	3600 lm	1500 mm	1+	£81.95	3+	£79.90
2756-5096	5 ft	30W	Microwave	3600 lm	1500 mm	1+	£97.50	3+	£95.05
2756-5114	6 ft	40W	No	4800 lm	1800 mm	1+	£87.25	3+	£85.05
3 hr Maintained Emergency – High Output									
2756-5078	4 ft	40W	No	4800 lm	1200 mm	1+	£94.95	3+	£92.60
2756-5102	5 ft	60W	No	7200 lm	1500 mm	1+	£92.50	3+	£90.20
2756-5108	5 ft	60W	Microwave	7200 lm	1500 mm	1+	£116.95	3+	£114.05
2756-5120	6 ft	67W	No	8040 lm	1800 mm	1+	£102.50	3+	£99.95



ALL PRICES EXCLUDE VAT

LED NON-CORROSIVE FITTINGS

LED Non-Corrosive Fittings IP65



- Polycarbonate body and purpose-designed opal diffuser
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Mounted: Surface or suspended
- Warranty: 5 Years [on-site: 1 year] [emergency: 2 years]

Microwave features:

- Detection angle [ceiling]: 360° [wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins



Visit cef.co.uk for video demonstration

Includes:

- Stainless steel fixing clips
- Gear tray extension cords

Code	Size	Wattage	Lumens	Length	Width	Depth	1+	10+
Standard								
2613-7831	2 ft	9W	1100 lm	600 mm	96 mm	79 mm	£23.48	£22.46
2613-7894	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£30.19	£28.88
2613-7846	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£36.61	£35.02
2613-7858	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£44.95	£42.99
Standard – High Output								
2613-7834	2 ft	18W	2200 lm	600 mm	96 mm	79 mm	£30.19	£28.88
2613-7840	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	£42.07	£40.24
2613-7852	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£47.82	£45.74
2613-7864	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	£65.65	£62.79
Standard – Microwave Sensor								
2726-9278	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£60.85	£58.21
2726-9272	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£74.65	£71.41
3 hr Maintained Emergency								
2613-7837	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£71.88	£68.75
2613-7849	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£79.54	£76.08
2613-7861	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£89.99	£86.08
3 hr Maintained Emergency – High Output								
2613-7843	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	£87.40	£83.60
2613-7855	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£93.25	£89.19
2613-7867	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	£112.99	£108.08
3 hr Maintained Emergency – Microwave Sensor								
2726-9281	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£106.09	£101.48
2726-9275	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£124.10	£118.71

LED LINEAR SURFACE FITTINGS

Aten LED Linear Fittings IP20



- Glass-free lighting solution ideal for kitchens
- Powder-coated aluminium body with PMMA Opal diffuser and polycarbonate end caps
- Colour temperature: Cool white 4000K
- Lamp life: 30,000 hrs
- Dimensions: 133 mm[W] x 45 mm[D]
- Mounted: Surface
- Guarantee: 2 Years



Code	Size	Wattage	Lumens	Length	1+	10+
1994-9083	2 ft	25W	2000 lm	594 mm	£31.75	£30.95
1994-9077	4 ft	48W	4300 lm	1194 mm	£55.95	£54.50
1994-9080	5 ft	48W	4800 lm	1494 mm	£64.95	£63.50

Aten2 LED Tri-Colour Linear Fittings IP20



- Glass-free lighting solution ideal for kitchens
- Powder-coated aluminium body with PMMA Opal diffuser and polycarbonate end caps
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6000K
- Switch the unit Off then On within three seconds and the fitting will switch between colour temperatures
- Once desired colour is selected, leave on for ten seconds and the fitting will remember desired colour
- Lamp life: 30,000 hrs
- Dimensions: 133 mm[W] x 45 mm[D]
- Mounted: Surface
- Guarantee: 2 Years



Code	Size	Wattage	Lumens	Length	1+	10+
2083-4971	2 ft	25W	1900 / 2200 / 2100 lm	594 mm	£33.95	£32.50
2083-4962	4 ft	48W	3600 / 4000 / 3800 lm	1194 mm	£61.50	£60.05
2083-4968	5 ft	48W	4100 / 4700 / 4500 lm	1494 mm	£67.75	£66.25

Shopping made simple

We make it easy to get the tools and supplies you need, however and whenever you prefer to shop

As well as through our **Trade Catalogue**, you can shop:



cef.co.uk

Browse, compare, and get the details you need to make the right choice, all with **next-day delivery***




Trade App

Discover **speed and convenience** at your fingertips



In Branch

Find **trusted brands, expert advice** and thousands of products all in one place



cef.co.uk

*Geographical restrictions may apply

LED HIGH BAY FITTINGS

NEW

LED Tri-Colour Highbay Fittings IP65


- Ideal for replacement of SON or metal halide high bays
- Die-cast aluminium housing with integral driver and polycarbonate lens
- Wattage selectable on-site for improved energy savings
- 1 - 10V Dimmable as standard
- Beam angle: 120°
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 5000K
- Lamp life: 50,000 hrs
- Warranty: 5 Years [on-site: 1 year] [emergency: 2 years]

Includes:

- 1.3 m Cable [standard]
- 0.5 m Cable [3 hr maintained emergency]



Aluminium Reflector



Polycarbonate Reflector



Remote Control

Code	Wattage	Lumens	Depth	Ø	Price				
Standard									
2831-6815	80W / 120W / 150W	11800 - 21000 lm	125 mm	280 mm	1+	£97.40	10+	£94.91	
2831-6812	150W / 200W / 240W	21400 - 34150 lm	125 mm	320 mm	1+	£136.40	10+	£132.91	
3 hr Maintained Emergency									
2811-2527	80W / 120W / 150W	11800 - 21000 lm	340 mm	285 mm	1+	£250.58	3+	£245.41	
Code	Suitable For	Beam Angle					+1	+10	
Aluminium Reflector									
2821-9414	80W / 120W / 150W	90°					£31.25	£30.25	
2821-9411	150W / 200W / 240W	90°					£33.95	£32.95	
Polycarbonate Reflector									
2831-6821	80W / 120W / 150W	90°					£50.87	£49.75	
2831-6818	150W / 200W / 240W	90°					£54.51	£53.31	
Code	Description					Price			
2821-9417	Mounting Bracket – Standard Versions Only					1+	£19.95	10+	£19.50
2831-6824	Microwave Sensor					1+	£26.39	3+	£25.81
2604-1012	Remote Control for Microwave Sensor					1+	£29.95	3+	£28.50

FROM
£97.40
+VAT

LED WALL PACKS

20W Tri-Colour LED Wall Packs IP65

- Die-cast aluminium body and polycarbonate diffuser
- Push-fit connectors for easy installation
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Lumen output: 1,500, 1,550 or 1,600 lm
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site: 1 year]



Visit cef.co.uk for video demonstration



Code	Sensor	Height	Width	Depth	1+	3+
2641-1884	No	221 mm	207 mm	82 mm	£79.95	£77.95
2641-1887	Photocell	221 mm	207 mm	82 mm	£89.25	£87.25



ALL PRICES EXCLUDE VAT

FROM
£79.95
+VAT

CIRCULAR DOME BULKHEADS

12W / 16W Klip LED Tri-Colour Bulkheads IP65

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 - 1,300 lm
[16W]: 1,600 - 1,700 lm
- Optional tamper-proof fixings – sold separately [2633-1619]
- Lamp life: 30,000 hrs
- Warranty: 5 Years
[on-site: 1 year]
[emergency: 2 years]

Code	Sensor	Depth	Ø	Price			
Standard							
2704-3168	No	95 mm	340 mm	1+	£30.75	5+	£29.30
2704-3174	Microwave	95 mm	340 mm	1+	£49.75	5+	£47.75
3 hr Maintained Emergency							
2704-3171	No	95 mm	340 mm	1+	£51.95	3+	£49.95
2704-3177	Microwave	95 mm	340 mm	1+	£69.95	3+	£67.95
Code	Colour					1+	5+
Standard Bezels – To Be Ordered Separately							
2743-9111	Anthracite					£5.25	£4.95
2631-9289	Black					£3.50	£3.25
2631-9292	Chrome					£7.25	£6.95
2631-9307	White					£3.50	£3.25
Eyelid Bezels – To Be Ordered Separately							
2743-9114	Anthracite					£5.25	£4.95
2631-9295	Black					£3.50	£3.25
2631-9298	White					£3.50	£3.25
Grille Bezels – To Be Ordered Separately							
2631-9301	Black					£3.50	£3.25
2631-9304	White					£3.50	£3.25
Code	Description						1+
2633-1619	Tamper-Proof Screws and Tool						£4.50



Microwave features:

- Detection angle: 360°
- Detection range: 12 m
- Timer adjustment: 0 - 20 mins

Includes:

- Standard white bezel



12W / 16W Dome LED Tri-Colour Bulkheads IP65

- LED Bulkhead with opal diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 - 1,300 lm
[16W]: 1,600 - 1,700 lm
- Warranty: 5 Years [on-site: 1 year] [emergency: 2 years]

Code	Sensor	Lamp Life	Depth	Ø	Price			
Standard								
2704-3078	No	30000 hrs	82.5 mm	320 mm	1+	£23.60	5+	£22.15
2704-3147	Microwave	30000 hrs	82.5 mm	320 mm	1+	£42.95	5+	£40.95
3 hr Maintained Emergency								
2704-3144	No	20000 hrs	82.5 mm	320 mm	1+	£44.60	3+	£43.15
2704-3150	Microwave	20000 hrs	82.5 mm	320 mm	1+	£64.95	3+	£62.95
Code	Colour					1+		3+
Bezels – To Be Ordered Separately								
2722-3345	Chrome					£7.95		£7.75
2722-3348	Polished Brass					£12.95		£12.75



FUSION
Luminaires



Visit cef.co.uk for
video demonstration

Microwave features:

- Detection angle: 360°
- Detection range: 10 m
- Timer adjustment: 5 secs - 10 mins

FROM
£23.60
+VAT

LED BULKHEADS

6W Mini Orbit LED Circular Bulkhead IP65

- Polycarbonate body and opal diffuser
- Colour temperature: Cool white 4000K
- Lumen output: 600 lm
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Includes:

- Fixing bracket
- 300 mm Prewired cable



Code	Depth	Ø	1+	10+
2719-8898	62 mm	167 mm	£12.95	£12.50

Standard and Eyelid Bezels available – ask in-branch for details

10W Orbit LED Oval Bulkhead IP65

- Polycarbonate body and opal diffuser
- Colour temperature: Cool white 4000K
- Lumen output: 1,000 lm
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Includes:

- Fixing bracket
- 300 mm Prewired cable



Code	Height	Width	Depth	1+	10+
2719-8910	215 mm	115 mm	62 mm	£16.95	£16.50

Grille Bezel available – ask in-branch for details

LED FLOODLIGHTS

Guardian LED Floodlights IP65

- Die-cast aluminium powder-coated body
- Ground spike and extension arm sold separately [only compatible with Floodlights up to 50W]
- Can be mounted without removing the bracket
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Guarantee: 5 Years [on-site: 1 year]

PIR Features:

- Detection angle: 120°
- Detection range: Up to 10 m
- Timer adjustment: 10 secs - 7 mins

Includes:

- Adjustable bracket
- 1 m Cable



2672-6728



2672-6731



Visit cef.co.uk for video demonstration

Code	Wattage	Lumens	Height	Width	Depth	1+	3+
Standard							
2672-6707	15W	1950 lm	188 mm	129 mm	34 mm	£24.50	£23.50
2672-6719	30W	3900 lm	238 mm	173 mm	42 mm	£37.75	£36.75
2672-6728	50W	6500 lm	250 mm	188 mm	42 mm	£56.50	£54.95
2672-6734	80W	10400 lm	302 mm	250 mm	52 mm	£111.50	£108.50
2672-6704	100W	13000 lm	358 mm	279 mm	57 mm	£126.95	£123.95
2672-6710	150W	19500 lm	405 mm	329 mm	62 mm	£156.50	£153.50
2672-6716	250W	32500 lm	471 mm	401 mm	62 mm	£241.95	£238.95
PIR							
2672-6713	15W	1950 lm	250 mm	129 mm	51 mm	£33.75	£32.75
2672-6722	30W	3900 lm	303 mm	173 mm	53 mm	£44.75	£42.75
2672-6731	50W	6500 lm	315 mm	188 mm	54 mm	£68.25	£66.25
Accessories							1+
2672-6737	Ground Spike						£9.75
2676-5230	514 mm Extension Arm						£23.75

Protector LED Floodlights IP65

- Die-cast aluminium powder-coated body
- Can be mounted without removing bracket
- Colour temperature: Cool white 4000K
- Lamp life: 25,000 hrs
- Warranty: 3 Years

PIR Features:

- Detection angle: 120°
- Detection range: 10 m
- Timer adjustment: 3 secs - 8 mins

Includes:

- Adjustable bracket
- 1 m Prewired cable



Standard



PIR

Code	Wattage	Lumens	Height	Width	Depth	1+	3+
Standard							
2722-2667	10W	1000 lm	113 mm	127 mm	27 mm	£8.95	£8.40
2722-2673	20W	2000 lm	113 mm	127 mm	27 mm	£13.40	£12.90
2722-2679	30W	3000 lm	124 mm	153 mm	27 mm	£22.95	£22.50
2722-2688	50W	5000 lm	168 mm	153 mm	32 mm	£34.25	£33.70
PIR							
2722-2670	10W	1000 lm	158 mm	127 mm	56 mm	£15.95	£15.50
2722-2676	20W	2000 lm	158 mm	127 mm	56 mm	£19.50	£18.95
2722-2685	30W	3000 lm	174 mm	153 mm	56 mm	£30.50	£30.05
2722-2691	50W	5000 lm	208 mm	209 mm	60 mm	£41.50	£40.95
Photocell							
2722-2682	30W	3000 lm	174 mm	153 mm	47 mm	£30.50	£30.05

PHOTOCELLS

5A Wall Mounted Electronic Photocell Kits IP65



- UV Stabilised polycarbonate
- E.M. Relay switch
- Lux levels [5A]: 70 / 105 lx [1:1.5 + VE]
[10A]: 70 / 35 lx [1:0.5 + VE]
- Switching delay: 15 secs
- Guarantee: 1 Year

Kit contents:

- Photocell head
- Base holder
- Bracket
- NEMA Socket
- Integral gasket
- Screws and wall plugs



Code	Description	Height	Projection	1+	3+
Opal Diffuser					
0003-7102	Kit	124 mm	87 mm	£23.95	£22.95
0003-7096	Replacement Head	50 mm	80 mm	£17.95	£16.95

10A Wall Mounted Electronic Photocell Kit IP65



- Ideal for controlling external lighting circuits
- Photodiode sensor with opal diffuser
- Lux levels: 10 - 65 lx
- Guarantee: 1 Year

Kit contents:

- Photocell head
- Base holder
- Bracket
- NEMA Socket
- Integral gasket
- Screws and wall plugs



Code	Description	Height	Projection	1+	3+
0337-5454	Kit	133 mm	87 mm	£15.95	£14.95
0337-5451	Replacement Head	60 mm	80 mm	£13.95	£12.95

Miniature Electronic Photocell IP65



- Photodiode sensor
- Suitable for use in external fixtures
- Fits into 20 mm[Ø] cut out
- Maximum capacity: 60µF
- Lux level: 70 lx
- Switching delay: 10 - 30 secs
- VDR Voltage suppression
- Guarantee: 1 Year



Load rating:

- Max. 1,200W [5A] Incandescent lamps
- Max. 250W [1A] LED Lamps

Code	Length	Width	Depth	1+	3+
2236-3081	54 mm	36 mm	38 mm	£22.95	£21.95

Miniature Thermal Nipple Head Photocell IP65



- Thermal nipple head with photodiode sensor
- Suitable for use in external fixtures
- Fits into 20 mm[Ø] cut out
- Lux levels: 10 - 16 / 65 lx
- Guarantee: 1 Year



Load rating:

- Max. 2,000W [8A] Incandescent lamps
- Max. 200W [0.8A] LED Lamps

Code	Length	Width	Depth	1+	3+
0337-5469	50 mm	28 mm	40 mm	£13.95	£13.50

Same day range

Almost 3,000 everyday essential products available in branch to take away today

LED EMERGENCY LIGHTING

2.7W LED 5-In-1 Maintained / Non-Maintained Emergency Droplights IP20

- Polycarbonate housing
- Test button and charge indicator LED
- Emergency duration: 3 hrs
- Emergency lumen output: 14 lm
- Lumen output: 23 lm
- Lamp life: 30,000 hrs
- Mounted: Ceiling suspended, recessed, side or wall
- Guarantee: 2 Years

Code	Type	Legend	Height	Width	Depth	1+	3+
2658-8812	Standard	Exit Arrow Up	180 mm	264 mm	28 mm	£35.95	£33.95
2743-9399	Auto Self-Test	Exit Arrow Up	180 mm	264 mm	28 mm	£40.95	£38.75



FUSION
Luminaires

AUTO
SELF-TEST



Visit cef.co.uk for video demonstration

LED Emergency Bulkheads IP65

- High quality polycarbonate body and diffuser with hinged gear tray
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- Colour temperature: Daylight 6500K
- Emergency lumen output: 110 lm (maintained / non-maintained only)
- Lumen output: 170 lm
- Lamp life: 30,000 hrs
- Mounted: Surface
- Warranty: 2 Years



FUSION
Luminaires

AUTO
SELF-TEST

Code	Wattage	Type	Emergency Type	Height	Width	Depth	1+	3+
2816-1985	1.1W	Standard	Non-Maintained	107 mm	349 mm	64 mm	£16.50	£15.95
2816-1979	2.3W	Standard	Maintained / Non-Maintained	107 mm	349 mm	64 mm	£17.95	£17.50
2816-1982	2.3W	Auto Self-Test	Maintained / Non-Maintained	107 mm	349 mm	64 mm	£22.95	£22.50

Includes:
■ ISO 7010
Legend pack

3W LED Non-Maintained Emergency Twinspots IP65

- Emergency duration: 3 hrs
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Colour temperature: Daylight 6500K
- Lumen output: 297 lm
- Lamp life: 30,000 hrs
- Guarantee: 2 Years



FUSION
Luminaires

AUTO
SELF-TEST

Code	Type	Height	Width	Depth	1+	3+
2658-8821	Standard	281 mm	297 mm	89 mm	£45.50	£43.50
2743-9411	Auto Self-Test	281 mm	297 mm	89 mm	£55.95	£53.95

3.5W LED Maintained / Non-Maintained Emergency Exit Boxes IP20

- Polycarbonate housing and diffuser
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- Colour temperature: Daylight 6500K
- Emergency lumen output: 20 lm
- Lumen output: 35 lm
- Lamp life: 30,000 hrs
- Guarantee: 2 Years



FUSION
Luminaires

AUTO
SELF-TEST

Code	Type	Legend	Height	Width	Depth	1+	3+
2745-0358	Standard	Exit Arrow Up	185 mm	330 mm	39 mm	£32.75	£31.75
2743-9405	Auto Self-Test	Exit Arrow Up	185 mm	330 mm	39 mm	£36.50	£35.50

1W LED Non-Maintained Emergency Downlights IP20

- Typically used as an indoor escape route emergency light to help guide occupants from a building
- Interchangeable lenses available to suit specific settings – sold separately
- Emergency duration: 3 hrs
- Colour temperature: Daylight 6500K
- Lumen output: 121 lm
- Lamp life: 30,000 hrs
- Mounted: Recessed
- Guarantee: 2 Years



FUSION
Luminaires

AUTO
SELF-TEST

Includes:
■ Battery pack and driver

Code	Type	Beam Angle	Depth	Ø	Cut Out Ø	1+	3+
2628-8332	Standard	120°	50 mm	50 mm	45 mm	£29.95	£27.95
2743-9402	Auto Self-Test	120°	50 mm	50 mm	45 mm	£33.50	£31.50
Code	Type	Beam Angle	Depth	Ø		1+	3+
Accessories							
2628-8335	Corridor Lens	170°	10 mm	33 mm		£4.95	£4.45
2628-8338	Narrow Spot Lens	45°	13 mm	33 mm		£4.95	£4.45



Visit cef.co.uk for video demonstration

LED COMMERCIAL DOWNLIGHTS

LED Low Profile Commercial Downlights IP20



- White body with opal polycarbonate diffuser
- Ideal replacement for existing CFL fixtures
- Mounted: Recessed
- Lamp life: 25,000 hrs
- Guarantee: 2 Years



Includes:

- Plug-and-play driver

Code	Wattage	Lumens	Depth	Ø	Cut Out Ø	1+	10+
Cool White - 4000K							
2634-4567	6W	450 lm	21 mm	128 mm	115 mm	£10.85	£10.30
2634-4558	12W	900 lm	21 mm	170 mm	150 mm	£13.95	£13.40
2634-4561	18W	1600 lm	21 mm	229 mm	210 mm	£17.40	£16.70
2634-4564	24W	1900 lm	21 mm	298 mm	280 mm	£27.75	£27.05



4.1W Maintained Emergency Conversion Kit IP20



- All-in-one emergency conversion kit for Low Profile LED circular downlights
- Lithium-ion phosphate [LiFePO4] battery offers excellent reliability
- Plug-and-play connections
- Manual test button
- Emergency duration: 3 hrs
- Guarantee: 2 Years



Code	Length	Width	Depth	1+	3+
2634-4570	213 mm	95 mm	40 mm	£51.50	£49.50

FREE LIGHTING DESIGN SERVICE



Exclusive lighting design service for CEF customers from Fusion Luminaires.

95% of lighting designs completed within 3 days
For more details **contact your local branch**

DOWNLIGHTS AND ACCESSORIES

GU10 Fire Rated Downlights

- Push-fit loop in / out terminal block
- Supplied with terminal block and bracket
- Twist-and-lock lamp retainer (lamp not included)
- Max. Lamp wattage: 50W
- Fire rated: 30, 60 and 90 mins
- Guarantee: 1 Year



Code	Finish	Depth	Ø	Cut Out Ø	1+	10+
Fixed - IP20 - Bezel Included						
2607-5548	Polished Chrome	122 mm	85.5 mm	72 mm	£7.95	£7.45
2607-5560	Satin Nickel	122 mm	85.5 mm	72 mm	£7.95	£7.45
2607-5572	White	122 mm	85.5 mm	72 mm	£7.95	£7.45
Adjustable - IP20 - Bezel Included						
2607-5563	Polished Chrome	122 mm	96 mm	83 mm	£9.75	£9.25
2607-5566	Satin Nickel	122 mm	96 mm	83 mm	£9.75	£9.25
2607-5569	White	122 mm	96 mm	83 mm	£9.75	£9.25

FROM
£7.95
+VAT

LED FIRE RATED DOWNLIGHTS AND ACCESSORIES

5.5W LED Fire Rated Downlights IP65

- Range: LED FRD
- Integral driver and separate prewired loop in / out push-fit terminal block
- Dimmable
- Fire rated: 30, 60 and 90 mins
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Finish	Beam Angle	Lumens	Depth	Ø	Cut Out Ø	1+	10+
Warm White - 3000K - Bezel Included								
2628-8365	Satin Nickel	60°	480 lm	55 mm	87 mm	60 - 72 mm	£13.25	£12.75
2628-8371	White	60°	480 lm	55 mm	84 mm	60 - 72 mm	£12.75	£12.25
Cool White - 4000K - Bezel Included								
2628-8362	Satin Nickel	60°	500 lm	55 mm	87 mm	60 - 72 mm	£13.25	£12.75
2628-8368	White	60°	500 lm	55 mm	84 mm	60 - 72 mm	£12.75	£12.25

FROM
£12.75
+VAT

5.5W LED Fire Rated Tri-Colour Dimmable Downlight

- Range: LED FRD
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6000K
- Colour selectable via switch located underneath the bezel
- Lumen output: 450 lm / 500 lm / 500 lm
- Integral driver and separate prewired loop in / out plug-and-play connector
- Dimmable
- Fire rated: 30, 60 and 90 mins
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



WHILE STOCKS LAST

Code	Finish	Beam Angle	Depth	Ø	Cut Out Ø	1+	10+
Bezel Included							
2743-9417	White	60°	56 mm	87 mm	70 - 75 mm	£17.50	£16.95

CCT Colour Select



Visit cef.co.uk for video demonstration

4.5W / 5.5W / 7.5W LED Fire Rated Tri-Colour Downlight IP65

- Range: LED FRD
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Colour selectable via switch located underneath the bezel
- Wattage selectable via switch located on the integral driver
- Lumen output [4.5W]: 400 lm / 430 lm / 400 lm
[5.5W]: 500 lm / 550 lm / 500 lm
[7.5W]: 600 lm / 700 lm / 600 lm
- Integral driver and separate prewired loop in / out plug-and-play connector
- Dimmable
- Fire rated: 30, 60 and 90 mins
- Lamp life: 30,000 hrs
- Guarantee: 5 Years



WHILE STOCKS LAST

Code	Finish	Beam Angle	Depth	Ø	Cut Out Ø	1+	10+
Bezel Included							
2743-9414	White	60°	56 mm	86 mm	70 - 75 mm	£20.50	£19.95

CCT Colour Select



Wattage Selector



Visit cef.co.uk for video demonstration



ALL PRICES EXCLUDE VAT

UNDER CABINET LIGHTS

LED Slimline Colour Selectable Under Cabinet Lights IP20

- Suitable replacement for traditional T4 and T5 fluorescent fittings
- Compact, surface mounted design
- Selectable colour temperature:
Warm white 3000K and cool white 4000K
- Beam angle: 150°
- Lamp life: 30,000 hrs
- Warranty: 3 Years

Includes:

- 1.5 m Mains cable
- 170 mm Link cable
- Fixing brackets
- Connector

Code	Wattage	Length	Lumens	1+	5+
2795-8372	4W	225 mm	400 lm	£15.95	£15.50
2795-8369	4W	288 mm	450 lm	£17.50	£17.05
2795-8378	7W	516 mm	850 lm	£20.95	£20.50
2795-8360	13W	849 mm	1500 lm	£25.95	£25.25
2795-8363	18W	1149 mm	1800 lm	£29.95	£29.25



CCT Colour Select

FROM
£15.95
+VAT

SHAVER LIGHTS

Dual Voltage Shaver Light IP20

- Not for use in zoned areas
- White fitting with prismatic diffuser and dual voltage shaver socket
- Voltage rating: 110V and 230V
- Pullcord On / Off switch
- Lamp type: 6W LED Striplight [284 mm] [included]
- Warranty: 1 Year

Code	Length	Height	Depth	1+	3+
2745-4762	495 mm	60 mm	70 mm	£33.95	£31.95



ONLY
£33.95
+VAT

LOW VOLTAGE DIMMABLE TRANSFORMERS

Low Voltage Electronic Dimmable Transformers

- For use with low voltage [12V] lamps
- Soft start feature extends lamp life
- Auto-resetting overload and overheat protection
- EN 61347
- Guarantee: 1 Year



0052-1065

Code	Power Range	Length	Width	Depth	1+
With Tail Leads					
0942-1825	0 - 50W	95 mm	27.5 mm	41.5 mm	£16.75
With Terminals					
0052-1065	0 - 105W	108 mm	33 mm	44 mm	£21.95


LAMP HOLDERS

Spare Lampholders

- Designed for use with GU10 or GU5.3 MR16 lamps
- Guarantee: 1 Year



0003-9928



0052-0588



2571-3559

Code	Cap	Description	1+
0003-9928	GU5.3	Low Voltage [Prewired 145 mm Leads]	£1.90
0052-0588	GU10	Mains [Prewired 145 mm Leads]	£1.90
2571-3559	GU10	Mains [Prewired 240 mm Silicone Cable]	£2.25

DOWNLIGHT RETAINING CLIP

Metal Lamp Retaining Clip



Code	Lamp Ø	Cap	1+
0003-9925	50 mm	MR16 / GU10	£0.73

Branch opening hours

Mon-Fri 7:30-5:30 Sat 8:30-12:00

[local exceptions may apply]

Banned Lamps

UK Lamp Market Bans

The lamps sector has undergone major changes in the last fifteen years, most of which have been driven by the move towards greater energy efficiencies and lower carbon emissions.

As part of the EU Restriction of Hazardous Substances (RoHS) directive. The fluorescent lamp ban aimed to reduce mercury use in electrical or electronic equipment. Therefore, September 2023, February 2024 and February 2025 witnessed new regulations requiring the phase out of Fluorescent Lamps from the UK market. These phase outs meant that no further product from the stipulated dates could be imported or manufactured in the UK. However any products already held in stocks could still be sold and installed.

The UK government states that this new legislation will enforce the significant change to more energy efficient and longer lasting LED lamps. It is claimed this will stop 1.26 million tonnes of carbon being emitted annually and will save consumers an average of £75 each year on energy bills.

UK Lamp Ban Timeline



September 2023

T8 Fluorescent Tubes [2ft, 4ft & 5ft]



Mains Voltage Halogen Capsules [G4, GY6.35 G9 Cap]



February 2024

Compact Fluorescent Lamps [CFL's]



T5 Fluorescent Tubes [all lengths]



T8 Fluorescent Tubes [remaining lengths]



February 2025

Compact Fluorescent Lamps [2D 28W/38W]



It is important to note that suppliers are able to sell through existing stocks, also any banned products placed on the market before each enforcement date may also be sold.



The **NEW Banned Lamps** brochure is available to help highlight which lamps were part of the recent Bans / Phase Out.

Ask in branch for further details and current stock availability.

LED LAMPS

Essential LED GU10 Lamps 230V – Pack of 10

- Suitable replacement for 35 and 50W halogen lamps
- Beam angle: 38°
- Lamp life: 20,000 hrs
- Guarantee: 2 Years


NEW

Code	Wattage	Lumens	Colour Temp	Equivalent Price Each	1+
Non-Dimmable					
2818-4512	2.6W	257 lm	Warm White – 3000K	£1.43	£14.25
2818-4509	2.6W	257 lm	Cool White – 4000K	£1.43	£14.25
2818-4602	3.7W	352 lm	Warm White – 3000K	£1.68	£16.75
2818-4515	3.7W	352 lm	Cool White – 4000K	£1.68	£16.75
2818-4590	3.7W	352 lm	Daylight – 6000K	£1.68	£16.75
Dimmable					
2818-4608	3.7W	352 lm	Warm White – 3000K	£2.28	£22.75
2818-4584	3.7W	352 lm	Cool White – 4000K	£2.28	£22.75
2818-4596	3.7W	352 lm	Daylight – 6000K	£2.28	£22.75

3.7W Essential LED GU10 Lamps

- Suitable replacement for 50W halogen lamps
- Beam angle: 38°
- Lamp life: 20,000 hrs
- Guarantee: 2 Years


NEW

Code	Lumens	Colour Temp	1+	10+
Non-Dimmable				
2818-4599	352 lm	Warm White – 3000K	£3.65	£3.40
2818-4578	352 lm	Cool White – 4000K	£3.65	£3.40
2818-4587	352 lm	Daylight – 6000K	£3.65	£3.40
Dimmable				
2818-4605	352 lm	Warm White – 3000K	£5.05	£4.75
2818-4581	352 lm	Cool White – 4000K	£5.05	£4.75
2818-4593	352 lm	Daylight – 6000K	£5.05	£4.75


FUSION
Lamps

NEW

3W LED GU10 Glass Lamps

- Suitable replacement for 50W halogen lamps
- Beam angle 38°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years


FUSION
Lamps

Code	Lumens	Colour Temp	1+	10+
Non-Dimmable				
2818-4623	360 lm	Warm White – 3000K	£3.69	£3.44
2818-4611	360 lm	Cool White – 4000K	£3.69	£3.44
Dimmable				
2818-4626	360 lm	Warm White – 3000K	£4.73	£4.41
2818-4614	360 lm	Cool White – 4000K	£4.73	£4.41

4.5W LED GU10 Lamps

- Suitable replacement for 50W halogen lamps
- Beam angle: 38°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years


FUSION
Lamps

NEW

Code	Lumens	Colour Temp	1+	10+
Non-Dimmable				
2818-4641	540 lm	Warm White – 3000K	£5.50	£5.25
2818-4629	540 lm	Cool White – 4000K	£5.50	£5.25
2818-4635	540 lm	Daylight – 6000K	£5.50	£5.25
Dimmable				
2818-4644	540 lm	Warm White – 3000K	£6.95	£6.70
2818-4632	540 lm	Cool White – 4000K	£6.95	£6.70
2818-4638	540 lm	Daylight – 6000K	£6.95	£6.70

5W LED GU10 Lamps

- Suitable replacement for 50W halogen lamps
- Beam angle: 60°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years


***WHILE STOCKS LAST**

Code	Lumens	Colour Temp	1+	10+
Non-Dimmable				
2253-2821 *	500 lm	Warm White – 3000K	£4.10	£3.85
2253-2815 *	510 lm	Cool White – 4000K	£4.10	£3.85
Dimmable				
2253-2824	500 lm	Warm White – 3000K	£6.10	£5.85
2253-2818	510 lm	Cool White – 4000K	£6.10	£5.85

LED LAMPS

NEW

LED GLS Lamps 230V



- Suitable replacement for 40, 60, 75 and 100W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Wattage	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K					
2818-4986	6.75W	BC / B22	810 lm	£6.25	£5.95
2818-4998	6.75W	ES / E27	810 lm	£6.25	£5.95
2818-5010	8.8W	BC / B22	1056 lm	£9.45	£9.00
2818-5016	8.8W	ES / E27	1056 lm	£9.45	£9.00
2819-7724	12.7W	BC / B22	1524 lm	£10.25	£9.75
2819-7730	12.7W	ES / E27	1524 lm	£10.25	£9.75
Non-Dimmable – Cool White – 4000K					
2818-4989	6.75W	BC / B22	810 lm	£6.25	£5.95
2818-5001	6.75W	ES / E27	810 lm	£6.25	£5.95
Dimmable – Warm White – 2700K					
2818-4995	6.75W	BC / B22	810 lm	£8.25	£7.95
2818-5007	6.75W	ES / E27	810 lm	£8.25	£7.95
2818-5013	8.8W	BC / B22	1056 lm	£11.35	£10.80
2818-5019	8.8W	ES / E27	1056 lm	£11.35	£10.80

8.1W Essential LED GLS Lamps 230V



- Suitable replacement for 60W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-5049	BC / B22	810 lm	£4.25	£4.00
2818-5055	ES / E27	810 lm	£4.25	£4.00
Non-Dimmable – Cool White – 4000K				
2816-1883	BC / B22	810 lm	£4.25	£4.00
2816-1886	ES / E27	810 lm	£4.25	£4.00
Dimmable – Warm White – 2700K				
2818-2757	BC / B22	810 lm	£5.75	£5.50
2816-1889	ES / E27	810 lm	£5.75	£5.50



ALL PRICES EXCLUDE VAT



6W LED Filament GLS Lamps 230V



- Suitable replacement for 40, 60 and 75W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



NEW

Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-5088	BC / B22	806 lm	£6.05	£5.55
2818-5100	ES / E27	806 lm	£6.05	£5.55
Dimmable – Warm White – 2700K				
2818-5097	BC / B22	806 lm	£7.95	£7.50
2818-0564	ES / E27	806 lm	£7.95	£7.50

WEEE recycling

Ask in branch or visit
cef.co.uk/waste-recycling

LED LAMPS

NEW

4W LED Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-4539	SBC / B15	480 lm	£4.75	£4.50
2818-4521	BC / B22	480 lm	£4.75	£4.50
2818-4551	SES / E14	480 lm	£4.75	£4.50
2818-4527	ES / E27	480 lm	£4.75	£4.50
Non-Dimmable – Cool White – 4000K				
2818-4542	SBC / B15	480 lm	£4.75	£4.50
2818-4524	BC / B22	480 lm	£4.75	£4.50
2818-4554	SES / E14	480 lm	£4.75	£4.50
2818-4530	ES / E27	480 lm	£4.75	£4.50
Dimmable – Warm White – 2700K				
2818-4548	SBC / B15	480 lm	£6.05	£5.80
2818-2754	BC / B22	480 lm	£6.05	£5.80
2818-4560	SES / E14	480 lm	£6.05	£5.80
2818-4536	ES / E27	480 lm	£6.05	£5.80

4.7W Essential LED Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



NEW

Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-0558	SBC / B15	470 lm	£3.75	£3.50
2818-4575	BC / B22	470 lm	£3.75	£3.50
2818-4725	SES / E14	470 lm	£3.75	£3.50
2818-4704	ES / E27	470 lm	£3.75	£3.50
Non-Dimmable – Cool White – 4000K				
2818-4716	SBC / B15	470 lm	£3.75	£3.50
2818-4695	BC / B22	470 lm	£3.75	£3.50
2818-4728	SES / E14	470 lm	£3.75	£3.50
2818-4707	ES / E27	470 lm	£3.75	£3.50
Dimmable – Warm White – 2700K				
2818-4701	BC / B22	470 lm	£4.95	£4.70
2816-1892	SES / E14	470 lm	£4.95	£4.70
2818-4713	ES / E27	470 lm	£4.95	£4.70




4W LED Filament Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



NEW

Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-4863	SBC / B15	480 lm	£4.25	£3.95
2818-4830	BC / B22	480 lm	£4.25	£3.95
2818-4881	SES / E14	480 lm	£4.25	£3.95
2818-4845	ES / E27	480 lm	£4.25	£3.95
Dimmable – Warm White – 2700K				
2818-4878	SBC / B15	480 lm	£5.75	£5.50
2818-4842	BC / B22	480 lm	£5.75	£5.50
2818-4896	SES / E14	480 lm	£5.75	£5.50
2818-4860	ES / E27	480 lm	£5.75	£5.50



Click & collect
At any branch in the UK

LED GOLFBALL LAMPS

NEW

4W LED Golf Ball Lamps



- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-4674	SBC / B15	480 lm	£6.35	£6.15
2818-4659	BC / B22	480 lm	£6.35	£6.15
2818-4686	SES / E14	480 lm	£6.35	£6.15
2818-4665	ES / E27	480 lm	£6.35	£6.15
Dimmable – Warm White – 2700K				
2818-4683	SBC / B15	480 lm	£7.40	£7.20
2818-4662	BC / B22	480 lm	£7.40	£7.20
2818-4692	SES / E14	480 lm	£7.40	£7.20
2818-4671	ES / E27	480 lm	£7.40	£7.20

4W LED Filament Golf Ball Lamps



- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-2760	SBC / B15	480 lm	£4.75	£4.50
2818-4935	BC / B22	480 lm	£4.75	£4.50
2818-4944	SES / E14	480 lm	£4.75	£4.50
2816-1901	ES / E27	480 lm	£4.75	£4.50
Dimmable – Warm White – 2700K				
2816-1904	ES / E27	480 lm	£5.95	£5.50

NEW

4.7W Essential LED Golf Ball Lamps



- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



Code	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K				
2818-4794	SBC / B15	470 lm	£4.50	£4.25
2818-4770	BC / B22	470 lm	£4.50	£4.25
2818-4806	SES / E14	470 lm	£4.50	£4.25
2818-4782	ES / E27	470 lm	£4.50	£4.25



Delivery options to suit you

Free national delivery on online orders over £50 – Free delivery from your local branch



ALL PRICES EXCLUDE VAT

LED LAMPS

Essential LED Reflector Lamps 230V



- Suitable replacement for 30 - 60W filament lamps
- Finish: Opal
- Beam angle: 120°
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



Code	Wattage	Size	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K						
2303-9596	3W	R39	SES / E14	180 lm	£4.50	£3.95
2303-9599	5W	R50	SES / E14	455 lm	£5.75	£5.25
2303-9602	7W	R63	ES / E27	640 lm	£6.75	£6.25
2303-9605	10W	R80	ES / E27	860 lm	£7.95	£7.25

LED Reflector Lamps



- Suitable replacement for 30 - 60W filament lamps
- Finish: Opal
- Beam angle: 120°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Wattage	Size	Cap	Lumens	1+	10+
Non-Dimmable – Warm White – 3000K						
2057-0755	3W	R39	SES / E14	240 lm	£6.95	£6.50
1878-2368	5W	R50	SES / E14	400 lm	£9.25	£8.75
1878-2374	7.5W	R63	ES / E27	700 lm	£11.95	£11.50
1878-2380	9W	R80	ES / E27	860 lm	£13.50	£12.95

15W LED PAR38 Lamp 230V



- Suitable replacement for 120W filament lamps
- Cap: ES / E27
- Beam angle: 30°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Lumens	1+	10+
Non-Dimmable – Warm White – 3000K			
1878-2362	1200 lm	£24.25	£23.25

2W LED G4 Capsule Lamps – Pack of 2



- Suitable replacement for 10 and 20W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



Code	Lumens	1+	10+
Non-Dimmable – Warm White – 3000K			
2196-2761	200 lm	£10.50	£9.95
Non-Dimmable – Cool White – 4000K			
2247-2401	200 lm	£10.50	£9.95

3.3W LED G9 Capsule Lamps – Pack of 2



- Suitable replacement for 40W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



Code	Lumens	1+	10+
Non-Dimmable – Warm White – 3000K			
2196-2764	350 lm	£10.95	£10.50
Non-Dimmable – Cool White – 4000K			
2247-2404	350 lm	£10.95	£10.50

LED MR16 Lamps



- Suitable replacement for 35 and 50W halogen lamps
- LED Driver recommended – sold separately [1330-8694]
- Beam angle: 38°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Wattage	Lumens	1+	10+
Non-Dimmable – Warm White – 3000K				
2037-8470	4W	315 lm	£7.50	£7.25
2197-2217	5W	395 lm	£7.95	£7.75
2090-6815	7W	555 lm	£9.25	£9.05
Non-Dimmable – Cool White – 4000K				
2037-8464	4W	320 lm	£7.50	£7.25
2197-2211	5W	400 lm	£7.95	£7.75
2090-6809	7W	560 lm	£9.25	£9.05
Non-Dimmable – Daylight – 6000K				
2037-8467	4W	325 lm	£7.50	£7.25
2197-2214	5W	405 lm	£7.95	£7.75
2090-6812	7W	565 lm	£9.25	£9.05

LED LAMPS

LED T5 Glass Tubes

- Suitable replacement for fluorescent tubes
- Beam angle: 200°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Code	Length	Wattage	Lumens	1+	10 +
Non-Dimmable - Cool White - 4000K					
2772-8041	2 ft	8W	880 lm	£11.05	£10.75
2772-8032	3 ft	12W	1320 lm	£13.25	£12.75
2772-8035	4 ft	16W	1760 lm	£15.50	£14.95
2772-8038	5 ft	20W	2200 lm	£17.75	£17.25



FROM
£11.05
+VAT

LED T8 Glass Tubes

- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Code	Length	Wattage	Lumens	1+	5 +
Non-Dimmable - Cool White - 4000K					
2096-0905	2 ft	9W	900 lm	£7.95	£7.45
2096-0923	4 ft	18W	1950 lm	£13.15	£12.65
2096-0932	5 ft	24W	2600 lm	£15.75	£15.25
2096-0938	6 ft	30W	3400 lm	£28.95	£27.95



FROM
£7.95
+VAT

LED T8 Tri-Colour Glass Tubes

- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Length	Wattage	Lumens	1+	5 +
Non-Dimmable					
2772-8017	2 ft	9W	945 lm / 990 lm / 990 lm	£8.05	£7.75
2772-8020	3 ft	14W	1540 lm / 1680 lm / 1680 lm	£11.25	£10.80
2772-8023	4 ft	18W	1980 lm / 2160 lm / 2160 lm	£13.95	£13.50
2772-8026	5 ft	24W	2640 lm / 2880 lm / 2880 lm	£16.35	£15.65
2772-8029	6 ft	30W	3300 lm / 3600 lm / 3600 lm	£29.95	£28.95



FROM
£8.05
+VAT



ALL PRICES EXCLUDE VAT

LED LAMPS

LED 2D Lamps

- Suitable replacement for 16 and 28W compact fluorescent 2D lamps
- Lamp life: 30,000 hrs
- Guarantee: 3 Years



Code	Wattage	Cap	Lumens	1+	10+
Non-Dimmable – Cool White – 4000K					
2123-0989	8W	GR8 2 Pin	800 lm	£19.75	£18.75
2123-0983	14W	GR10q 4 Pin	1400 lm	£21.95	£20.95

LED R7s Linear Lamps

- Suitable replacement for tungsten halogen lamps
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Code	Wattage	Lumens	Length	1+	10+
Non-Dimmable – Daylight – 6000K					
2123-0995	5W	500 lm	78 mm	£11.25	£10.75
2123-0977	9W	1050 lm	118 mm	£11.75	£11.25

LED Striplights

- Suitable replacement for 30 and 60W filament lamps
- Finish: Opal
- Cap: S15s
- Lamp life: 20,000 hrs
- Guarantee: 2 Years



Code	Wattage	Length	Lumens	1+	10+
Non-Dimmable – Warm White – 3000K					
2302-6582	4W	221 mm	350 lm	£11.75	£11.25
2302-6585	6W	284 mm	550 lm	£11.75	£11.25

2W LED Cooker Hood Lamp

- Suitable replacement for 40W cooker hood lamps
- Finish: Clear
- Cap: SES / E14
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Code	Lumens	1+	10+
Non-Dimmable – Warm White – 2700K			
2196-3070	180 lm	£6.50	£5.95

APPLIANCE LAMPS

Oven Lamps

- Operates at temperatures up to 300°C
- Cap: SES / E14
- Lamp life: 1,000 hrs



Code	Wattage	Lumens	1+	10+
Warm White – 2700K				
1653-8116	15W	66 lm	£2.50	£2.25
1653-8119	25W	100 lm	£2.75	£2.50

15W Fridge / Microwave Lamp

- Cap: SES / E14
- Lamp life: 1,000 hrs



Code	Lumens	1+	10+
Warm White – 2700K			
2261-2432	80 lm	£3.30	£3.15

40W Cooker Hood Lamp

- Dimmable
- Cap: SES / E14
- Lamp life: 1,000 hrs



Code	Lumens	1+	10+
Warm White – 2700K			
1607-6983	420 lm	£3.15	£2.95

40W Round Oven Lamp

- Operates at temperatures up to 300°C
- Cap: SES / E14
- Lamp life: 1,000 hrs



Code	Lumens	1+	10+
Warm White – 2700K			
2267-6077	380 lm	£3.75	£3.50

INSECT KILLER LAMPS

Insect Killer Tubes



- It is recommended that insect killer lamps are changed every 12 months as UV levels deteriorate over the life of the lamp
- Deterioration of the lamp means insect attraction rates are significantly reduced
- Lamp life: 8,000 hrs



Code	Length	Wattage	1+	10+
T5				
2090-7061	12"	8W	£11.77	£11.18
T8				
2088-5029	18"	15W	£11.57	£11.05
2094-6910	2 ft	18W	£12.92	£12.40



22W T8 Circular Insect Killer Lamp



- It is recommended that insect killer lamps are changed every 12 months as UV levels deteriorate over the life of the lamp
- Deterioration of the lamp means insect attraction rates are significantly reduced
- Cap: G10q
- Lamp life: 8,000 hrs



Code	1+	10+
0305-3266	£26.29	£25.19

HIGH INTENSITY DISCHARGE LAMPS

70W SON-E External Ignitor High Pressure Sodium Lamp



- Ignitor: External
- Cap: ES / E27
- Lamp life: 28,000 hrs



Code	Lumens	1+	3+
Extra Warm White - 2000K			
1728-0607	6000 lm	£20.48	£19.43

70W SON-E Internal Ignitor High Pressure Sodium Lamp



- Ignitor: Internal
- Cap: ES / E27
- Lamp life: 32,000 hrs



Code	Lumens	1+	3+
Extra Warm White - 2000K			
1728-0613	5600 lm	£22.58	£21.53

SON-T External Ignitor High Pressure Sodium Lamps



- Ignitor: External
- Lamp life: 32,000 hrs



Code	Wattage	Cap	Lumens	1+	3+
Extra Warm White - 2000K					
1746-4831	70W	ES / E27	6600 lm	£20.48	£19.43
1738-0063	150W	GES / E40	16500 lm	£22.26	£21.21
1746-4822	250W	GES / E40	32500 lm	£27.96	£26.56
1746-4828	400W	GES / E40	56500 lm	£30.98	£29.24

70W SON-T Internal Ignitor High Pressure Sodium Lamp



- Ignitor: Internal
- Cap: ES / E27
- Lamp life: 28,000 hrs



Code	Lumens	1+	3+
Extra Warm White - 2000K			
1517-8090	6600 lm	£21.47	£20.43

HIGH INTENSITY DISCHARGE LAMPS

Elliptical Dual Metal Halide Lamps



- For use on most mercury and sodium ballasts in conjunction with the appropriate ignitor or electronic control gear
- Ignitor: External
- Cap: GES / E40
- Lamp life: 15,000 hrs



Code	Wattage	Lumens	1+	10+
Cool White – 4500K				
0562-8331	250W	19000 lm	£37.75	£36.70
0562-8334	400W	32000 lm	£39.64	£38.59

Tubular Dual Metal Halide Lamps



- For use on most mercury and sodium ballasts in conjunction with the appropriate ignitor
- Ignitor: External
- Cap: GES / E40
- Lamp life: 15,000 hrs



Code	Wattage	Lumens	1+	10+
Cool White – 4500K				
0305-4544	250W	18000 lm	£24.94	£23.89
0305-4550	400W	32000 lm	£25.99	£24.94

70W Elliptical Ceramic Metal Halide Lamp 230V



- For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear
- Ignitor: External
- Cap: ES / E27
- Lamp life: 20,000 hrs



Code	Wattage	Lumens	1+	10+
Cool White – 4200K				
2428-7581	70W	6000 lm	£42.98	£41.94

G12 Ceramic Metal Halide Lamps



- For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear
- Cap: G12
- Lamp life: 12,000 hrs



Code	Wattage	Lumens	1+	10+
Warm White – 3000K				
1117-2022	35W	3400 lm	£32.50	£31.50
1117-2028	70W	7000 lm	£32.50	£31.50

G8.5 Ceramic Metal Halide Lamps



- For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear
- Cap: G8.5
- Lamp life: 12,000 hrs



Code	Wattage	Lumens	1+	10+
Warm White – 3000K				
1117-2034	35W	3400 lm	£39.85	£38.80
1117-2037	70W	7000 lm	£39.85	£38.80

Double-Ended Metal Halide Lamps



- For use on most sodium ballasts in conjunction with the appropriate ignitor or electronic control gear
- Cap: RX7s
- Lamp life: 10,000 hrs



Code	Wattage	Lumens	1+	10+
Cool White – 4200K				
0305-4583	70W	5600 lm	£17.98	£16.89
0305-4577	150W	14500 lm	£17.98	£16.89

Need a product datasheet?

Download at cef.co.uk

Free Lighting Design Service

Exclusively from Fusion Luminaires

Our comprehensive service includes:

-  **Plans**
Product overview, representational floor plan and placement references.
-  **Results Overview**
Illumination levels and product requirements for individual rooms.
-  **Optional 3D Renderings**
Visual representation of the final installation.
-  **Full Product Specifications**
Detailed specs for all products used.
-  **Optional Energy Savings Report**
Showcase usage and potential monetary savings.



Transform your space with our expert lighting design!

Follow us on



5 025110 925352 >
LIGHTING ESSENTIALS
Pricing shown for illustrative purposes only.



YOUR
ELECTRICAL
EXPERTS

Contact your local branch for more details

