



YOUR ELECTRICAL EXPERTS

Essential Lighting Solutions



Fusion Luminares Lighting Range 2 -15
Fusion Lamps Range 16 - 27

Prices valid until April 2026



Scan and shop with the App.

The easy way to order.

Download now for FREE



Free of Charge Services

Exclusive Services for CEF customers from Fusion Luminaires

Our **FREE** services include:

- ✓ **External Field Support**
Ensures reliable, on-site expertise for maintaining, repairing, and optimizing lighting systems
- ✓ **Product Demonstration**
Help customers experience the quality, efficiency, and visual impact of lighting products before making a purchase.
- ✓ **Nationwide Distribution/ Wholesale Network**
Ensures efficient, reliable delivery of lighting products to customers across the country.
- ✓ **Lighting Design Service**
Plans, results overview, optional 3D renderings, full product specifications and optional energy savings report
- ✓ **Energy Saving Audits**
Reveal ways to cut energy use and enhance lighting performance.



Transform your space with our expert lighting design!



Follow Fusion Luminaires on   

LED FLOODLIGHTS

Protector LED Floodlights IP65

- Die-cast aluminium powder-coated body
- Can be mounted without removing bracket
- Colour temperature: Cool white 4000K
- Lamp life: 25,000 hrs
- Warranty: 3 Years

Fusion Ref	Code	Wattage	Lumens	Height	Width	Depth	1+
Standard							
FPF10	2722-2667	10W	1000 lm	113 mm	127 mm	27 mm	£8.99
FPF20	2722-2673	20W	2000 lm	113 mm	127 mm	27 mm	£12.63
FPF30	2722-2679	30W	3000 lm	124 mm	153 mm	27 mm	£23.53
FPF50	2722-2688	50W	5000 lm	168 mm	209 mm	32 mm	£34.43
PIR							
FPF10PIR	2722-2670	10W	1000 lm	158 mm	127 mm	56 mm	£16.26
FPF20PIR	2722-2676	20W	2000 lm	158 mm	127 mm	56 mm	£19.89
FPF30PIR	2722-2685	30W	3000 lm	174 mm	153 mm	56 mm	£30.79
FPF50PIR	2722-2691	50W	5000 lm	208 mm	209 mm	60 mm	£41.69
Photocell							
FPF30PC	2722-2682	30W	3000 lm	174 mm	153 mm	47 mm	£30.79



- Includes:
- Adjustable bracket
 - 1 m Prewired cable

- PIR Features:
- Detection angle: 120°
 - Detection range: 10 m
 - Timer adjustment: 3 secs - 8 mins

FROM
£8.99
+VAT

Guardian LED Floodlights IP65

- Die-cast aluminium powder-coated body
- Ground spike and extension arm sold separately [only compatible with Floodlights up to 50W]
- Can be mounted without removing the bracket
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Warranty: 5 Years [on-site: 1 year]

Fusion Ref	Code	Wattage	Lumens	Height	Width	Depth	1+
Standard							
FGF15	2672-6707	15W	1950 lm	188 mm	129 mm	34 mm	£19.89
FGF30	2672-6719	30W	3900 lm	246 mm	173 mm	42 mm	£34.43
FGF50	2672-6728	50W	6500 lm	255 mm	188 mm	42 mm	£45.33
FGF80	2672-6734	80W	10400 lm	302 mm	250 mm	52 mm	£92.56
FGF100	2672-6704	100W	13000 lm	358 mm	279 mm	57 mm	£108.91
PIR							
FGF15PIR	2672-6713	15W	1950 lm	250 mm	129 mm	51 mm	£27.16
FGF30PIR	2672-6722	30W	3900 lm	303 mm	173 mm	53 mm	£41.69
FGF50PIR	2672-6731	50W	6500 lm	315 mm	188 mm	54 mm	£56.23



Visit cef.co.uk for video demonstration

- Includes:
- Adjustable bracket
 - 1 m Cable

- PIR Features:
- Detection angle: 120°
 - Detection range: Up to 10 m
 - Timer adjustment: 10 secs - 7 mins

FROM
£19.89
+VAT

LED WALL PACKS

20W Tri-Colour LED Wall Packs IP65

- Die-cast aluminium body and polycarbonate diffuser
- Push-fit connectors for easy installation
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Lumen output: 1,500, 1,550 or 1,600 lm
- Lamp life: 50,000 hrs
- Warranty: 5 Years [on-site: 1 year]

Fusion Ref	Code	Sensor	Height	Width	Depth	1+
FWPCC	2641-1884	No	221 mm	207 mm	82 mm	£62.77
FWPCCPC	2641-1887	Photocell	221 mm	207 mm	82 mm	£81.94



Visit cef.co.uk for video demonstration

LED CIRCULAR DOME BULKHEADS

12W / 16W Dome LED Tri-Colour Bulkheads IP65

- Polycarbonate body and opal diffuser
- Screwless twist-and-lock bezel
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6500K
- Switch located on the driver takes the fitting down to 12W for increased energy savings
- Lumen output [12W]: 1,200 - 1,300 lm
[16W]: 1,600 - 1,700 lm
- Warranty: 5 Years [on-site: 1 year]
[emergency: 2 years]



Visit cef.co.uk for video demonstration

Fusion Ref	Code	Sensor	Lamp Life	Depth	Ø	1+
Standard						
FHOMECC	2704-3078	No	30000 hrs	82.5 mm	320 mm	£14.92
FHOMECCS	2704-3147	Microwave	30000 hrs	82.5 mm	320 mm	£29.91
3 hr Maintained Emergency						
FHOMECEC3	2704-3144	No	30000 hrs	82.5 mm	320 mm	£31.00
FHOMECCSE3	2704-3150	Microwave	30000 hrs	82.5 mm	320 mm	£46.26
Fusion Ref	Code	Colour	1+			
Bezels - To Be Ordered Separately						
FHOMECH	2722-3345	Chrome	£7.72			
FHOMEPB	2722-3348	Polished Brass	£12.63			



- Microwave features:
- Detection angle: 360°
 - Detection range: 10 m
 - Timer adjustment: 5 secs - 10 mins

FROM
£14.92 +VAT

12W Orbit LED Circular Bulkhead IP65



- Polycarbonate body and opal diffuser
- Colour temperature: Cool white 4000K
- Lumen output: 1200 lm
- Lamp life: 25,000 hrs
- Warranty: 3 Years



Includes:

- Fixing bracket
- 300 mm Prewired cable

Fusion Ref	Code	Depth	Ø	1+
FORBIT	2719-8916	72 mm	221 mm	£18.08
FORBITB	2719-8919	23 mm	226 mm	£5.23
FORBITSN	2719-8928	23 mm	226 mm	£5.23
FORBITBR	2719-8922	23 mm	226 mm	£5.23
FORBITEB	2719-8925	23 mm	226 mm	£5.23

6W Mini Orbit LED Circular Bulkhead IP65



- Polycarbonate body and opal diffuser
- Colour temperature: Cool white 4000K
- Lumen output: 600 lm
- Lamp life: 25,000 hrs
- Warranty: 3 Years



Includes:

- Fixing bracket
- 300 mm Prewired cable

Fusion Ref	Code	Depth	Ø	1+
FMORBIT	2719-8898	62 mm	167 mm	£12.63
FMORBITB	2719-8901	24 mm	171 mm	£3.96
FMORBITSN	2719-8907	24 mm	171 mm	£3.96
FMORBITEB	2719-8904	45 mm	171 mm	£3.96

LED AMENITY BULKHEADS

10W LED Oval Orbit Bulkhead IP65



- Polycarbonate body and opal diffuser
 - Colour temperature: Cool white 4000K
 - Lumen output: 1,000 lm
 - Lamp life: 25,000 hrs
 - Warranty: 3 Years
- Includes:
- Fixing bracket
 - 300 mm Prewired cable



Fusion Ref	Code	Height	Width	Depth	1+
FOORBIT	2719-8910	215 mm	115 mm	62 mm	£16.95
FOORBITGB	2719-8913	220 mm	120 mm	50 mm	£3.96

16W Quad LED Tri-Colour Square Bulkheads IP65



- Polycarbonate body and diffuser
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Lamp life: 30,000 hrs
- Dimensions: 250 mm[L] x 250 mm[W] x 90 mm[D]
- Warranty: 3 Years



Fusion Ref	Code	Colour	Diffuser	Lumens	1+
Standard					
FQUADBOP16	2823-0181	Black	Opal	1600 lm	£29.06
FQUADBP16	2823-0193	Black	Prismatic	1900 lm	£29.06
FQUADWOP16	2823-0205	White	Opal	1600 lm	£29.06
FQUADWP16	2823-0217	White	Prismatic	1900 lm	£29.06
3 hr Maintained Emergency					
FQUADBOP16/E3	2823-0184	Black	Opal	1600 lm	£50.86
FQUADBP16/E3	2823-0196	Black	Prismatic	1900 lm	£50.86
FQUADWOP16/E3	2823-0208	White	Opal	1600 lm	£50.86
FQUADWP16/E3	2823-0220	White	Prismatic	1900 lm	£50.86

LED BATTENS

Tri-Colour LED Battens IP20

- Steel body with powder-coated finish
- Polycarbonate UV stabilised diffuser
- Quick-release access system with LED array safety cords, for easy installation
- Ideal retrofit option for existing T8 or T5 fixtures
- Colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Lamp life: 50,000 hrs
- Dimensions: 72 mm [W] x 72.5 mm [D]
- Mounted: Surface or suspended
- Warranty: 5 Years [on-site: 1 year]
- Emergency Warranty: 2 Years



Fusion Ref	Code	Size	Wattage	Sensor	Lumens	Length	1+
Standard							
FBAT2CC	2756-5063	2 ft	10W	No	1200 lm	600 mm	£29.98
FBAT4CC	2756-5066	4 ft	20W	No	2400 lm	1200 mm	£31.98
FBAT4HOCC	2756-5075	4 ft	40W	No	4800 lm	1200 mm	£47.87
FBAT5CC	2756-5081	5 ft	30W	No	3600 lm	1500 mm	£39.79
FBAT5CCS	2756-5093	5 ft	30W	Microwave	3600 lm	1500 mm	£62.31
FBAT5HOCC	2756-5099	5 ft	60W	No	7200 lm	1500 mm	£51.50
FBAT5HOCCS	2756-5105	5 ft	60W	Microwave	7200 lm	1500 mm	£81.93
FBAT6CC	2756-5111	6 ft	40W	No	4800 lm	1800 mm	£47.14
FBAT6HOCC	2756-5117	6 ft	67W	No	8040 lm	1800 mm	£66.12
3 hr Maintained Emergency							
FBAT4CCE3	2756-5072	4 ft	20W	No	2400 lm	1200 mm	£77.48
FBAT4HOCCCE3	2756-5078	4 ft	40W	No	4800 lm	1200 mm	£93.37
FBAT5CCE3	2756-5087	5 ft	30W	No	3600 lm	1500 mm	£85.74
FBAT5CCSE3	2756-5096	5 ft	30W	Microwave	3600 lm	1500 mm	£107.37
FBAT5HOCCCE3	2756-5102	5 ft	60W	No	7200 lm	1500 mm	£97.19
FBAT5HOCCSE3	2756-5108	5 ft	60W	Microwave	7200 lm	1500 mm	£121.99
FBAT6CCE3	2756-5114	6 ft	40W	No	4800 lm	1800 mm	£93.20
FBAT6HOCCCE3	2756-5120	6 ft	67W	No	8040 lm	1800 mm	£111.73

Microwave features:

- Detection angle [ceiling]: 360°
[wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins



Visit cef.co.uk for video demonstration

LED NON-CORROSIVE FITTINGS

LED Non-Corrosive Fittings IP65

Fusion Ref	Code	Size	Wattage	Lumens	Length	Width	Depth	1+
Standard								
FNCF2	2613-7831	2 ft	9W	1100 lm	600 mm	96 mm	79 mm	£22.25
FNCF2HO	2613-7834	2 ft	18W	2200 lm	600 mm	96 mm	79 mm	£28.61
FNCF4	2613-7894	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£30.15
FNCF4HO	2613-7840	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	£39.88
FNCF5	2613-7846	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£34.70
FNCF5HO	2613-7852	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£45.33
FNCF6	2613-7858	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£42.60
FNCF6HO	2613-7864	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	£62.22
Standard - Microwave Sensor								
FNCF5S	2726-9278	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£57.68
FNCF5HOS	2726-9272	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£70.76
3 hr Maintained Emergency								
FNCF4E3	2613-7837	4 ft	18W	2200 lm	1200 mm	96 mm	79 mm	£68.13
FNCF4HOE3	2613-7843	4 ft	40W	4800 lm	1200 mm	96 mm	79 mm	£82.84
FNCF5E3	2613-7849	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£75.39
FNCF5HOE3	2613-7855	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£88.38
FNCF6E3	2613-7861	6 ft	27W	3200 lm	1800 mm	96 mm	83 mm	£85.29
FNCF6HOE3	2613-7867	6 ft	55W	6600 lm	1800 mm	96 mm	83 mm	£107.09
3 hr Maintained Emergency - Microwave Sensor								
FNCF5SE3	2726-9281	5 ft	23W	2800 lm	1500 mm	96 mm	79 mm	£100.55
FNCF5HOSE3	2726-9275	5 ft	48W	5800 lm	1500 mm	96 mm	79 mm	£117.63



- Polycarbonate body and purpose-designed opal diffuser
- Colour temperature: Cool white 4000K
- Lamp life: 50,000 hrs
- Impact rating: IK08
- Mounted: Surface or suspended
- Warranty: 5 Years [on-site: 1 year]
- Emergency Warranty: 2 Years

Microwave features:

- Detection angle [ceiling]: 360°
[wall]: 150°
- Detection range: 10 m
- Timer adjustment: 5 secs, 30 secs, 90 secs, 5 mins, 20 mins or 30 mins

Includes:

- Stainless steel fixing clips
- Gear tray extension cords



Visit cef.co.uk for video demonstration



LED LINEAR SURFACE FITTINGS

Vapour Proof LED Linear Fittings IP65



- Slimline design
- Extruded single piece polycarbonate body and diffuser
- Stainless steel mounting brackets supplied
- Quick-fit terminal with gland
- Beam angle: 120°
- Warranty: 2 Years



Fusion Ref	Code	Size	Wattage	Lumens	Length	1+
FVP4FT	2607-5575	4 ft	36W	3600 lm	1261 mm	£21.71
FVP5FT	2607-5578	5 ft	45W	4500 lm	1541 mm	£28.07
FVP6FT	2607-5581	6 ft	60W	6000 lm	1841 mm	£42.96

Aten LED Linear Fittings IP20



- Glass-free lighting solution ideal for kitchens
- Powder-coated aluminium body with PMMA opal diffuser and polycarbonate end caps
- Colour temperature: Cool white 4000K
- Lamp life: 30,000 hrs
- Dimensions: 133 mm[W] x 45 mm[D]
- Mounted: Surface
- Warranty: 2 Years



FROM
£30.99
+VAT

Fusion Ref	Code	Size	Wattage	Lumens	Length	1+
DLLEDSM600	1994-9083	2 ft	25W	2000 lm	594 mm	£30.99
DLLEDSM1200	1994-9077	4 ft	48W	4300 lm	1194 mm	£58.28
DLLEDSM1500	1994-9080	5 ft	48W	4800 lm	1494 mm	£66.60

Aten2 LED Tri-Colour Linear Fittings IP20



- Glass-free lighting solution ideal for kitchens
- Powder-coated aluminium body with PMMA opal diffuser and polycarbonate end caps
- Selectable colour temperature: Warm white 3000K, cool white 4000K or daylight 6000K
- Switch the unit Off then On within three seconds and the fitting will switch between colour temperatures
- Once desired colour is selected, leave on for ten seconds and the fitting will remember desired colour
- Lamp life: 30,000 hrs
- Dimensions: 133 mm[W] x 45 mm[D]
- Mounted: Surface
- Warranty: 2 Years




Fusion Ref	Code	Size	Wattage	Lumens	Length	1+
DLLEDSM600CC	2083-4971	2 ft	25W	1900 lm 2100 lm 2200 lm	594 mm	£33.76
DLLEDSM1200CC	2083-4962	4 ft	48W	3600 lm 3800 lm 4000 lm	1194 mm	£62.90
DLLEDSM1500CC	2083-4968	5 ft	48W	4100 lm 4500 lm 4700 lm	1494 mm	£72.61

LED PANELS

30W Backlit TP[b] 600 x 600 LED Panel IP20



- Aluminium body with low glare opal polycarbonate diffuser
- Stepped frame for flush ceiling grid mounting
- Optional emergency conversion pack - sold separately [2628-3835]
- Non-dimmable
- Lumen output: 3,150 lm
- Lamp life: 50,000 hrs
- Mounted: Recessed
- Warranty: 5 Years [on-site: 1 year]
- Emergency Warranty: 2 Years



Includes:

- Plug-and-play driver

Fusion Ref	Code	Length	Width	Depth	1+
Cool White - 4000K					
FP66/CW	2831-3992	595 mm	595 mm	34 mm	£21.95

36W Backlit TP[a] 600 x 600 Tri-Colour LED Panel IP20



- Aluminium body with low glare opal polycarbonate diffuser
- Stepped frame for flush ceiling grid mounting
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Optional emergency conversion pack - sold separately [2628-3835]
- Non-dimmable
- Lumen output: 3,600 lm
- Lamp life: 50,000 hrs
- Mounted: Recessed
- Warranty: 5 Years [on-site: 1 year]
- Emergency Warranty: 2 Years



Includes:


- Plug-and-play driver
- Push-fit loop in / out terminal block

Fusion Ref	Code	Length	Width	Depth	1+
FP66/CC	2831-3989	595 mm	595 mm	34 mm	£26.95

40W LED 600 x 600 Panel Frame IP20



- Uniform light distribution
- Lumen output: 4000 lm
- Lamp life: 25,000 hrs
- Mounted: Recessed
- Optional emergency pack available
- Warranty: 5 Years [on-site: 1 year]
- Emergency Warranty: 2 Years



Includes:

- Plug-and-play driver
- Push-fit loop in / out terminal block

Fusion Ref	Code	Length	Width	Depth	1+
Cool White - 4000K					
FPF66CW	2789-8966	595 mm	595 mm	13.5 mm	£24.95

Branch opening hours

Mon-Fri 7:30-5:30 Sat 8:30-12:00

[local exceptions may apply]



LED PANELS

36W Backlit TP[a] 1200 x 300 LED Panel IP20



- Aluminium Frame / Self-Extinguishing TP[A] Diffuser
- Optional emergency conversion pack – sold separately [2628-3835]
- Non-dimmable
- Lumen output: 3820 lm
- Lamp life: Integrated LED
- Mounted: Recessed
- Warranty: 5 Years



Includes:

- Plug-and-play driver

Fusion Ref	Code	Length	Width	Depth	1+
Cool White – 4000K					
FP123CW	2676-5518	1195 mm	295 mm	34 mm	£41.09
Daylight – 6500K					
FP123DW	2676-5521	1195 mm	295 mm	34 mm	£41.09

45W Backlit TP[a] 1200 x 600 LED Panel IP20



- Aluminium Frame / Self-Extinguishing TP[A] Diffuser
- Optional emergency conversion pack – sold separately [2628-3835]
- Non-dimmable
- Lumen output: 4830 lm
- Lamp life: Integrated LED
- Mounted: Recessed
- Warranty: 5 Years



Includes:

- Plug-and-play driver

Fusion Ref	Code	Length	Width	Depth	1+
Cool White – 4000K					
FP126CW	2676-5524	1195 mm	595 mm	34 mm	£72.76
Daylight – 6500K					
FP126DW	2676-5527	1195 mm	595 mm	34 mm	£72.76

Surface Frames for LED Panels



- Surface mounting frames suitable for use with Fusion LED panels
- This product comes unassembled



Fusion Ref	Code	Length	Width	Depth	1+
FPSF66	2822-6845	595 mm	595 mm	70 mm	£20.99
FPSF123	2822-6833	1195 mm	295 mm	70 mm	£23.95
FPSF126	2822-6842	1195 mm	595 mm	70 mm	£30.56

LED EMERGENCY PACKS



4.3W Maintained Emergency Conversion Pack IP20

- Designed for Fusion LED panels
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- 24 Hour charge time
- Charge indicator LED
- Test button
- Emergency duration: 3 hrs
- Warranty: 2 Years



Fusion Ref	Code	Length	Width	Depth	1+
FE3P	2628-3835	213 mm	95 mm	40 mm	£57.23

Dimmable Panel Drivers



- Suitable for use with Fusion LED panels
- 40W constant current LED driver
- Class II, SELV, independent
- Input voltage 220-240VAC
- Protections: SCP/DLP/OVP
- Power Factor 0.95±0.05
- Efficiency ≥87%
- Support Leading edge and trailing edge dimmable
- Warranty: 5 Years



Fusion Ref	Code	Length	Width	Depth	1+
FP66TDD	2744-4985	150 mm	44 mm	30 mm	£29.88
FP126TDD	2744-4979	150 mm	44 mm	30 mm	£34.43
FPDDALI/10	2789-8960	105 mm	69 mm	28 mm	£45.33


The CEF Trade App

FREE
to download

Like your music app, but **with more AC and DC**

Search and order **thousands of products** from your pocket

- Check stock levels
- Pay securely
- Scan catalogue pages using your smartphone
- Create a trade account
- Check invoices, statements and credit notes
- Get delivery alerts direct to your phone
- Quotations



LED COMMERCIAL DOWNLIGHTS

LED CCT Low Profile Commercial Downlights IP20



- White body with opal polycarbonate diffuser
- Ideal replacement for existing CFL fixtures
- Mounted: Recessed
- Lamp life: 25,000 hrs
- Warranty: 2 Years



- Includes:
- Plug-and-play driver

Fusion Ref	Code	Wattage	Lumens	Depth	Ø	Cut Out Ø	1+
FCD6CC	2861-7577	6W	500 lm	27 mm	128 mm	115mm	£12.00
FCD12CC	2861-7568	12W	1200 lm	27 mm	170 mm	155 mm	£15.60
FCD18CC	2861-7571	18W	1850 lm	27 mm	229 mm	210 mm	£20.40
FCD24CC	2861-7574	24W	2500 lm	27 mm	298 mm	280 mm	£26.40

Need a product datasheet?
Download at cef.co.uk

4.1W Emergency Pack Conversion Kit IP20



- Emergency conversion kit for LED circular downlights from Fusion Luminaires
- Manual test button
- Plug and play connections
- Maintained Emergency [3hrs/180mins]



Fusion Ref	Code	Description	1+
FE3CD	2634-4570	4.1W Maintained Emergency Conversion Pack for LED Circular Downlights	£49.95

2W Maintained Emergency Conversion Pack



- Emergency conversion kit for LED Flexi-Fit downlight from Fusion Luminaires
- Manual test button
- Plug and play connections
- Maintained Emergency [3hrs/180mins]



Fusion Ref	Code	Description	1+
FE3FF	2756-5060	4.1W Maintained Emergency Conversion Pack for LED Flexifit Downlights	£57.23

LED Flexi-Fit Tri-Colour Downlights IP20

- White body with opal polycarbonate diffuser
- Integrated switch to select colour temperatures
- Adjustable spring clips allow recessed mounting in downlight holes
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6000K
- Interchangeable magnetic bezels available - sold separately
- Mounted: Surface or recessed
- Lamp life: 30,000 hrs
- Warranty: 2 Years

- Includes:
- Integrated driver



- 6W Downlight**
- Lumen output: 390, 420 or 450 lm


Fusion Ref	Code	Depth	Ø	Cut Out Ø	1+
FFF6CC	2606-9203	15 mm	140 mm	55 - 100 mm	£15.89
Fusion Ref	Code	Finish			1+
Magnetic Bezel					
FFFB6CH	2606-9218	Chrome			£4.72
FFFB6B	2606-9215	Matt Black			£4.72
FFFB6SN	2606-9221	Satin Nickel			£4.72

- 18W Downlight**
- Lumen output: 1,500, 1,530, or 1,560 lm

Fusion Ref	Code	Depth	Ø	Cut Out Ø	1+
FFF18CC	2604-0979	15 mm	217 mm	55 - 175 mm	£26.34
Fusion Ref	Code	Finish			1+
Magnetic Bezel					
FFFB18CH	2606-9285	Chrome			£6.05
FFFB18B	2606-0982	Matt Black			£6.05
FFFB18SN	2606-0988	Satin Nickel			£6.05



Visit cef.co.uk for video demonstration



- 12W Downlight**
- Lumen output: 900, 930 or 960 lm

Fusion Ref	Code	Depth	Ø	Cut Out Ø	1+
FFF12CC	2827-5349	15 mm	165 mm	55 - 125 mm	£17.94
Fusion Ref	Code	Finish			1+
Magnetic Bezel					
FFFB12CH	2827-5343	Chrome			£5.33
FFFB12B	2827-5340	Matt Black			£5.33
FFFB12SN	2827-5346	Satin Nickel			£5.33

- 24W Downlight**
- Lumen output: 1,980, 2,010 or 2,040 lm

Fusion Ref	Code	Depth	Ø	Cut Out Ø	1+
FFF24CC	2606-9200	15 mm	290 mm	60 - 250 mm	£39.26
Fusion Ref	Code	Finish			1+
Magnetic Bezel					
FFFB24CH	2606-9209	Chrome			£8.81
FFFB24B	2606-9206	Matt Black			£8.81
FFFB24SN	2606-9212	Satin Nickel			£8.81

FROM **£15.89** +VAT

LED COMMERCIAL DOWNLIGHTS

5.5W / 7.5W LED Fire Rated Tri-Colour Downlights IP65

- Range: LED FRD
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Colour selectable via switch located underneath the bezel
- Lumen output [5.5W]: 500 lm / 550 lm
[7.5W]: 600 lm / 650 lm
- Integral driver and separate prewired loop in / out plug-and-play connector
- Dimmable
- Fire rated: 30, 60 and 90 mins
- Lamp life: 25,000 hrs
- Warranty: 3 Years



CCT Colour Select



Wattage Selector




Included

FROM
£12.20
+VAT

Fusion Ref	Code	Finish	Beam Angle	Depth	∅	Cut Out ∅	1+
Bezel Included - Pack of 1							
FFRDCCW	2831-3983	White	60°	55 mm	87 mm	70 - 75 mm	£12.20
Fusion Ref	Code	Beam Angle	Depth	∅	Cut Out ∅	1+	
Bezel Not Included - Pack of 10							
FFRDCCW/10PK	2831-3986	60°	55 mm	87 mm	70 - 75 mm	£97.95	
Fusion Ref	Code	Finish	1+	Fusion Ref	Code	Finish	1+
Plastic Bezels				Metal Bezels			
FFRDDBA	2684-2333	Anthracite	£1.85	FFRDMBA	2743-9093	Anthracite	£2.56
FFRDDBB	2628-8347	Matt Black	£1.85	FFRDMBB	2743-9096	Matt Black	£2.56
FFRDBCH	2628-8350	Chrome	£1.85	FFRDMBCH	2743-9099	Chrome	£2.56
FFRDBPB	2684-2336	Polished Brass	£2.15	FFRDMBPB	2743-9102	Polished Brass	£2.56
FFRDBSN	2628-8353	Satin Nickel	£1.85	FFRDMBSN	2743-9105	Satin Nickel	£2.56
FFRDBWH	2628-8356	White	£1.54	FFRDMBWH	2743-9108	White	£2.56

GU10 Fire Rated Downlight Canister

- Fire rated LED GU10 fitting only [no bezel]
- Designed for standard height GU10 LED lamps [sold separately]
- 30, 60 and 90 minute fire rating
- Part B, C and E compliant
- Insulation coverable
- Push-fit [loop-in/loop-out] terminal block
- Twist and lock aluminium bezels available in white, chrome, satin nickel and black [sold separately]
- IP20/IP65 when bezel is fitted
- Warranty: 2 Years



Black

Chrome

Satin Nickel

White

Fusion Ref	Code	Finish	Height	∅	Cut Out ∅	1+	
FFRD/CAN	2824-3156	Black	81 mm	81 mm	72 mm	£4.95	
Fusion Ref	Code	Finish	1+	Fusion Ref	Code	Finish	1+
Bezels IP20				Bezels IP65			
FFRD/D/BLK	2824-3162	Black	£2.75	FFRD/IP65/BLK	2824-3174	Black	£4.29
FFRD/D/CH	2824-3165	Chrome	£2.75	FFRD/IP65/CH	2824-3177	Chrome	£4.29
FFRD/D/SN	2824-3168	Satin Nickel	£2.75	FFRD/IP65/SN	2824-3180	Satin Nickel	£4.29
FFRD/D/WH	2824-3171	White	£2.53	FFRD/IP65/WH	2824-3183	White	£4.07

FROM
£4.95
+VAT

See Page 20 for full range of GU10 Lamps

UNDER CABINET LIGHTS

LED Slimline Colour Selectable Under Cabinet Lights IP20



- Suitable replacement for traditional T4 and T5 fluorescent fittings
- Compact, surface mounted design
- Selectable colour temperature: Warm white 3000K and cool white 4000K
- Beam angle: 150°
- Lamp life: 30,000 hrs
- Warranty: 3 Years



Includes:

- 1.5 m Mains cable
- 170 mm Link cable
- Fixing brackets
- Connector



Fusion Ref	Code	Wattage	Length	Lumens	1+
FLL4CC225	2795-8372	4W	225 mm	400 lm	£10.15
FLL4CC	2795-8369	4W	288 mm	450 lm	£10.65
FLL7CC	2795-8378	7W	516 mm	850 lm	£13.12
FLL13CC	2795-8360	13W	849 mm	1500 lm	£17.91
FLL18CC	2795-8363	18W	1149 mm	1800 lm	£23.10

Under Cabinet Link Leads



- Link Lead for Under Cabinet Link Lights



Fusion Ref	Code	Length	1+
FLL250MM	2795-8366	250 mm	£2.20
FLL500MM	2795-8375	500 mm	£3.30
FLL1000MM	2795-8357	1000 mm	£4.40

SHAVER LIGHTS

6W Dual Voltage Shaver Light IP20



- Not for use in zoned areas
- White fitting with prismatic diffuser and dual voltage shaver socket
- Voltage rating: 110V and 230V
- Pullcord On / Off switch
- Lamp type: 6W LED Striplight [284 mm][included]
- Lumen output: 550 lm
- Lamp life: 20,000 hrs
- Warranty: 1 Year



Fusion Ref	Code	Length	Height	Depth	1+
FSL	2745-4762	495 mm	60 mm	70 mm	£33.06

Shopping made simple

We make it easy to get the tools and supplies you need, however and whenever you prefer to shop

As well as through our Trade Catalogue, you can shop:



cef.co.uk

Browse, compare, and get the details you need to make the right choice, all with **next-day delivery***

*Geographical restrictions may apply



Trade App

Discover **speed and convenience** at your fingertips



In Branch

Find **trusted brands, expert advice** and thousands of products all in one place



cef.co.uk

LED HIGH BAY FITTINGS

LED Tri-Colour Highbay Fittings IP65

- Ideal for replacement of SON or metal halide high bays
- Die-cast aluminium housing with integral driver and polycarbonate lens
- Wattage selectable on-site for improved energy savings
- 1 - 10V Dimmable as standard
- Beam angle: 120°
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 5000K
- Lamp life: 50,000 hrs
- Warranty: 5 Years [on-site: 1 year] [emergency: 2 years]




Microwave features:

- Detection angle: 360°
- Detection range: 12 m
- Timer adjustment: 5 secs, 30 secs, 1 min, 3 mins, 5 mins, 10 mins, 20 mins or 30 mins

Includes:

- 1.3 m Cable [standard]
- 0.5 m Cable [3 hr maintained emergency]

Fusion Ref	Code	Wattage	Lumens	Depth	Ø	+1
Standard						
FHBCCTSM	2831-6815	80W / 120W / 150W	11800 - 21000 lm	125 mm	280 mm	£90.74
FHBCCTLRG	2831-6812	150W / 200W / 240W	21400 - 34150 lm	125 mm	320 mm	£127.08
3 hr Maintained Emergency						
FHBCCTSM/E3	2811-2527	80W / 120W / 150W	11800 - 21000 lm	340 mm	285 mm	£281.57
Fusion Ref	Code	Suitable For	Beam Angle			
Aluminium Reflector						
FHBAR90/SML	2821-9414	80W / 120W / 150W	90°	£28.16		
FHBAR90/LRG	2821-9411	150W / 200W / 240W	90°	£30.79		
Polycarbonate Reflector						
FHBPR90/SML	2831-6821	80W / 120W / 150W	90°	£50.78		
FHBPR90/LRG	2831-6818	150W / 200W / 240W	90°	£54.41		
Fusion Ref	Code	Description				
FHBBKT	2821-9417	Mounting Bracket - Standard Versions Only	£18.08			
FHBSEN	2831-6824	Dimmable Microwave Sensor	£26.34			
FHBR	2604-1012	Remote Control for Microwave Sensor	£20.71			



FROM
£90.74
+VAT

LED EMERGENCY LIGHTING

2.7W LED Maintained / Non-Maintained Emergency Droplights IP20

- Multiple mounting options offer complete versatility
- Polycarbonate housing
- Test button and charge indicator LED
- Emergency duration: 3 hrs
- Emergency lumen output: 14 lm
- Lumen output: 23 lm
- Lamp life: 30,000 hrs
- Mounted: Ceiling suspended, recessed, side or wall [fixing kit included]
- Warranty: 2 Years



Fusion Ref	Code	Type	Legend	Height	Width	Depth	1+
FE3/5IN1	2658-8812	Standard	Exit Arrow Up	180 mm	264 mm	28 mm	£36.02
FE3/5IN1/ST	2743-9399	Auto Self-Test	Exit Arrow Up	180 mm	264 mm	28 mm	£41.01

ISO 7010 Legends available - ask in-branch for details

Visit cef.co.uk for video demonstration

LED EMERGENCY LIGHTING

LED Emergency Bulkheads IP65



- High quality polycarbonate body and diffuser with hinged gear tray
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- Colour temperature: Daylight 6500K
- Emergency lumen output: 110 lm
- Lumen output: 170 lm
- Lamp life: 30,000 hrs
- Mounted: Surface or recessed using bezel [2822-8885]
- Warranty: 2 Years



- Includes:
- ISO 7010 Legend pack

Fusion Ref	Code	Wattage	Type	Emergency Type	Height	Width	Depth	1+
FE3BNM	2816-1985	1.1W	Standard	Non-Maintained	107 mm	349 mm	64 mm	£17.17
FE3BM	2816-1979	2.3W	Standard	Maintained / Non-Maintained	107 mm	349 mm	64 mm	£18.08
FE3BM/ST	2816-1982	2.3W	Auto Self-Test	Maintained / Non-Maintained	107 mm	349 mm	64 mm	£20.80
Fusion Ref	Code	Description						1+
FE3B/RB	2822-8885	Recessed Mounting Bezel						£9.95

3W LED Non-Maintained Emergency Twinspots IP65



- Polycarbonate construction
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- Colour temperature: Daylight 6500K
- Lumen output: 297 lm
- Lamp life: 30,000 hrs
- Warranty: 2 Years



Fusion Ref	Code	Type	Height	Width	Depth	1+
FE3TS	2658-8821	Standard	281 mm	297 mm	89 mm	£45.33
FE3TS/ST	2743-9411	Auto Self-Test	281 mm	297 mm	89 mm	£48.05

3.5W LED Maintained / Non-Maintained Emergency Exit Boxes IP20



- Polycarbonate housing and diffuser
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- Colour temperature: Daylight 6500K
- Emergency lumen output: 20 lm
- Lumen output: 35 lm
- Lamp life: 30,000 hrs
- Legend: Exit Arrow Up
- Warranty: 2 Years



Fusion Ref	Code	Type	Height	Width	Depth	1+
FE3EB	2745-0358	Standard	185 mm	330 mm	39 mm	£30.86
FE3EB/ST	2743-9405	Auto Self-Test	185 mm	330 mm	39 mm	£34.43

ISO 7010 Legends available - ask in-branch for details

1W LED Non-Maintained Emergency Downlights IP20



- Interchangeable lenses available to suit specific settings - sold separately
- LiFePO4 battery technology greatly improves operational life and charging cycle capacity
- Emergency duration: 3 hrs
- Colour temperature: Daylight 6500K
- Lumen output: 121 lm
- Lamp life: 30,000 hrs
- Mounted: Recessed
- Warranty: 2 Years



- Includes:
- Battery pack and driver

Visit cef.co.uk for video demonstration

Fusion Ref	Code	Type	Beam Angle	Depth	∅	Cut Out ∅	1+
FE3D1	2628-8332	Standard	120°	50 mm	50 mm	45 mm	£27.70
FE3D1/ST	2743-9402	Auto Self-Test	120°	50 mm	50 mm	45 mm	£30.89
Fusion Ref	Code	Type	Beam Angle	Depth	∅	1+	
Accessories							
FE3D1CL	2628-8335	Corridor Lens	170°	10 mm	33 mm	£4.83	
FE3D1NSL	2628-8338	Narrow Spot Lens	45°	13 mm	33 mm	£4.83	



ALL PRICES EXCLUDE VAT

CONTEMPORARY UP / DOWNLIGHTS

GU10 Up / Downlights IP44 - Black

- Black aluminium up / downlight
- Lamp type: GU10 LED [not included]
- Max. Lamp wattage: 35W
- Warranty: 1 Year

- PIR Features:
- Detection range: 6 m
 - Timer adjustment: 8 secs - 5 mins

Fusion Ref	Code	Description	Height	Width	Projection	1+
Standard						
FWLDB	2704-3162	Downlight	123 mm	86 mm	92 mm	£14.44
FWLUDB	2704-4374	Up / Downlight	164 mm	86 mm	92 mm	£16.26
Photocell						
FWLUDBPC	2754-6328	Up / Downlight	222 mm	69 mm	106 mm	£27.16
PIR						
FWLUDBPIR	2704-4377	Up / Downlight	222 mm	69 mm	106 mm	£34.97




GU10 Up / Downlights IP44 - Stainless Steel

- Stainless steel up / downlight
- Lamp type: GU10 [not included]
- Max. Lamp wattage: 35W
- Warranty: 1 Year

- PIR Features:
- Detection range: 6 m
 - Timer adjustment: 8 secs - 5 mins

Fusion Ref	Code	Description	Height	Width	Projection	1+
Standard						
FWLDSS	2704-3165	Downlight	123 mm	86 mm	92 mm	£16.26
FWLUDSS	2704-4380	Up / Downlight	164 mm	86 mm	92 mm	£18.08
Photocell						
FWLUDSSPC	2754-6331	Up / Downlight	222 mm	69 mm	106 mm	£28.98
PIR						
FWLUDSSPIR	2704-4386	Up / Downlight	222 mm	69 mm	106 mm	£36.79



SPIKE LIGHTS

Spike Lights IP65

- Adjustable spike light
- Lamp type: GU10 [not included]
- Max. Lamp wattage: 35W
- Warranty: 1 Year



Fusion Ref	Code	Finish	Height	Ø	1+
FGSB	2704-3153	Black	263 mm	63.5 mm	£22.62
FGSBG2	2704-3156	Black	315 mm	98 mm	£14.44
FGSSS	2704-3159	Stainless Steel	273 mm	60 mm	£28.07

See Page 20 for full range of GU10 Lamps

Need a product datasheet?
Download at cef.co.uk

LED STRIP KITS

24W Plug-In LED Strip Light Kits IP65 - 5 m

- Flexible 8 mm self-adhesive strip
- Can be cut at 50 mm intervals to allow for corners
- Lamp life: 30,000 hrs
- Warranty: 2 Years

Kit contents:

- 12V Plug-in driver



Fusion Ref	Code	Colour	1+
LEDSTRIPWBP	2384-6476	Warm White - 3000K	£26.25
LEDSTRIPCWBP	2384-6470	Cool White - 4000K	£26.25
LEDSTRIPDWP	2752-2955	Daylight - 4000K	£26.25

36W Plug-In RGB Colour Changing LED Strip Light Kit IP65 - 5 m

- Flexible 10 mm self-adhesive strip
- Can be cut at 100 mm intervals to allow for corners
- Lamp life: 30,000 hrs
- Warranty: 2 Years

Kit contents:

- Remote control
- Receiver
- 12V Plug-in driver



Fusion Ref	Code	1+
LEDSTRIPRGBBP	2384-6473	£34.43

PHOTOCELLS

Wall Mounted Electronic Photocell Kit IP65

- UV Stabilised polycarbonate
- Electromagnetic Relay switch
- Lux levels [5A]: 70 / 105 lx [1:1.5 + VE]
[10A]: 70 / 35 lx [1:0.5 + VE]
- Switching delay: 15 secs
- Warranty: 1 Year

Kit contents:

- Photocell head
- Base holder
- Bracket
- NEMA Socket
- Integral gasket
- Screws and wall plugs



Fusion Ref	Code	Description	Height	Projection	1+
Opal Diffuser - 5A					
3061	0003-7102	Kit	124 mm	87 mm	£23.95
3050	0003-7096	Replacement Head	50 mm	-	£17.95



ALL PRICES EXCLUDE VAT

PHOTOCELLS

10A Wall Mounted Electronic Photocell Kit IP65

- Ideal for controlling external lighting circuits
- Photodiode sensor with opal diffuser
- Lux levels: 10 - 16 / 65 lx
- Warranty: 1 Year

Kit contents:

- Photocell head
- Base holder
- Bracket
- NEMA Socket
- Integral gasket
- Screws and wall plugs

Load rating:

- Max. 2,000W [10A] Incandescent lamps
- Max. 600W [2A] LED Lamp

FROM
£15.95
+VAT

Fusion Ref	Code	Description	Height	Projection	1+
DL4061	0337-5454	Kit	133 mm	87 mm	£15.95
DL4050	0337-5451	Replacement Head	60 mm	-	£13.95

Miniature Electronic Photocell IP65

- Photodiode sensor
- Suitable for use in external fixtures
- VDR Voltage suppression
- Fits into 20 mm[Ø] cut out
- Maximum capacity: 60µF
- Lux levels: 70 / 105 lx
- Switching delay: 10 - 30 secs
- Warranty: 1 Year

Load rating:

- Max. 1,200W [5A] Incandescent lamps
- Max. 250W [1A] LED Lamps

Fusion Ref	Code	Length	Width	Depth	1+
SS14	2236-3081	54 mm	36 mm	39 mm	£22.95

Miniature Thermal Nipple Head Photocell IP65

- Thermal nipple head with photodiode sensor
- Suitable for use in external fixtures
- Fits into 20 mm[Ø] cut out
- Lux levels: 10 - 16 / 65 lx
- Warranty: 1 Year

Load rating:

- Max. 2,000W [8A] Incandescent lamps
- Max. 200W [0.8A] LED Lamps

Fusion Ref	Code	Length	Width	Depth	1+
DLNPC	0337-5469	50 mm	28 mm	40 mm	£13.95

LOW VOLTAGE DIMMABLE TRANSFORMERS

Low Voltage Electronic Dimmable Transformers



- For use with low voltage [12V] lamps
- Soft start feature extends lamp life
- Auto-resetting overload and overheat protection
- EN 61347
- Warranty: 1 Year

Fusion Ref	Code	Power Range	Length	Width	Depth	1+
YT50	0942-1825	0 - 50W	95 mm	27.5 mm	41.5 mm	£17.26
YT105	0052-1065	0 - 105W	108 mm	33 mm	44 mm	£19.89
YT150	0052-1068	0 - 150W	167 mm	38.5 mm	52.5 mm	£28.61
YT210	2035-5055	0 - 210W	167 mm	38.5 mm	52.5 mm	£32.61



DOWNLIGHT LAMPHOLDERS

Spare Lampholders

- Designed for use with GU10 or GU5.3 MR16 lamps
- Warranty: 1 Year



Fusion Ref	Code	Cap	Description	1+
CTSLH	0003-9928	GU5.3	Low Voltage [Prewired 145 mm Leads]	£1.93
CTSLHGU10	0052-0588	GU10	Mains [Prewired 145 mm Leads]	£2.00
CTSLHGU10S	2571-3559	GU10	Mains [Prewired 240 mm Silicone Cable]	£2.30

DOWNLIGHT RETAINING CLIP

Metal Lamp Retaining Clip



- Metal lamp clip for 50mm MR16 or GU10 lamps
- Suitable for downlight fittings



Fusion Ref	Code	Lamp Ø	Cap	1+
CTSLC	0003-9925	50 mm	MR16 / GU10	£0.73

What you need, at speed

Over 44,000 products delivered where and when you need them



Same-day delivery

If we've got what you need at your local branch, **we can deliver it to you at home, office or on-site.**



Next-day delivery*

Order online Monday - Friday and we'll deliver the next working day. **Free delivery on all orders over £50.**



Click & Collect

Order any product from our website and it will be ready to **collect from your chosen branch the next working day.**



cef.co.uk

*Geographical restrictions may apply

Banned Lamps

UK Lamp Market Bans

The lamps sector has undergone major changes in the last fifteen years, most of which have been driven by the move towards greater energy efficiencies and lower carbon emissions.

As part of the EU Restriction of Hazardous Substances (RoHS) directive. The fluorescent lamp ban aimed to reduce mercury use in electrical or electronic equipment. Therefore, September 2023, February 2024 and February 2025 witnessed new regulations requiring the phase out of Fluorescent Lamps from the UK market.

These phase outs meant that no further product from the stipulated dates could be imported or manufactured in the UK. However any products already held in stocks could still be sold and installed.

The UK government states that this new legislation will enforce the significant change to more energy efficient and longer lasting LED lamps. It is claimed this will stop 1.26 million tonnes of carbon being emitted annually and will save consumers an average of £75 each year on energy bills.

UK Lamp Ban Timeline

September 2023

T8 Fluorescent Tubes [2ft, 4ft & 5ft]



Mains Voltage Halogen Capsules [G4, GY6.35 G9 Cap]



February 2024

Compact Fluorescent Lamps [CFL's]



T5 Fluorescent Tubes [all lengths]



T8 Fluorescent Tubes [remaining lengths]



February 2025

Compact Fluorescent Lamps [2D 28W/38W]



It is important to note that suppliers are able to sell through existing stocks, also any banned products placed on the market before each enforcement date may also be sold.



Coming Soon...

Keep a lookout in branch for the **NEW Banned Lamps** brochure.

Ask at your local branch for latest stock availability



LED LAMPS

LED T8 Glass Tubes



- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Fusion Ref	Code	Length	Wattage	Lumens	1+
Non-Dimmable - Cool White - 4000K					
EDLEDTUBE/G2FT	2096-0905	2 ft	9W	1080 lm	£7.44
EDLEDTUBE/G3FT	2096-0911	2 ft	14W	1680 lm	£9.95
EDLEDTUBE/G4FT	2096-0923	4 ft	18W	2160 lm	£11.71
EDLEDTUBE/G5FT	2096-0932	5 ft	24W	2880 lm	£14.49
EDLEDTUBE/G6FT	2096-0938	6 ft	30W	3600 lm	£27.58
EDLEDTUBE/8FT/CW	1953-4204	8 ft	36W	3600 lm	£45.95



FROM
£7.44
+VAT

LED T8 Tri-Colour Glass Tubes



- Suitable replacement for fluorescent tubes
- Complete with LED starter for use in switch start retrofit installations
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Beam angle: 300°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Fusion Ref	Code	Length	Wattage	Lumens	1+
Non-Dimmable					
EDLEDTUBE/G2FT/CC	2772-8017	2 ft	9W	945 lm / 1080 lm / 990 lm	£6.87
EDLEDTUBE/G3FT/CC	2772-8020	3 ft	14W	1540 lm / 1680 lm / 1680 lm	£7.99
EDLEDTUBE/G4FT/CC	2772-8023	4 ft	18W	1980 lm / 2160 lm / 2160 lm	£9.34
EDLEDTUBE/G5FT/CC	2772-8026	5 ft	24W	2640 lm / 2880 lm / 2880 lm	£10.47
EDLEDTUBE/G6FT/CC	2772-8029	6 ft	30W	3300 lm / 3600 lm / 3600 lm	£20.14



FROM
£6.87
+VAT

LED T5 Glass Tubes



- Suitable replacement for fluorescent tubes
- Beam angle: 200°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Fusion Ref	Code	Length	Wattage	Lumens	1+
Non-Dimmable - Cool White - 4000K					
EDLEDTUBET5/8CW	2772-8041	2 ft	8W	880 lm	£11.14
EDLEDTUBET5/12CW	2772-8032	3 ft	12W	1320 lm	£13.39
EDLEDTUBET5/16CW	2772-8035	4 ft	16W	1760 lm	£15.64
EDLEDTUBET5/20CW	2772-8038	5 ft	20W	2200 lm	£17.89



FROM
£11.14
+VAT

LED T5 Tri-Colour Glass Tubes



- Suitable replacement for fluorescent tubes
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 6500K
- Beam angle: 200°
- Lamp life: 25,000 hrs
- Guarantee: 3 Years

Fusion Ref	Code	Length	Wattage	Lumens	1+
Non-Dimmable					
EDLEDTUBET5/8CCT	2834-0626	2 ft	8W	880 lm	£12.38
EDLEDTUBET5/12CCT	2834-0617	3 ft	12W	1320 lm	£14.85
EDLEDTUBET5/16CCT	2834-0620	4 ft	16W	1760 lm	£17.33
EDLEDTUBET5/20CCT	2834-0623	5 ft	20W	2200 lm	£19.69



FROM
£12.38
+VAT

LED LAMPS

G23 2 Pin LED Single Compact Lamp



- Low power consumption
- Long lamp life
- Low surface temperature
- Not Suitable for emergency lighting
- Suitable replacement for compact fluorescent lamps
- Ideal for use in commercial and retail applications
- Guarantee: 2 Years



FROM
£7.38
+VAT

Fusion Ref	Code	Wattage	Length	Lumens	1+
Non-Dimmable - Cool White - 4000K					
FPLS3CW/2P	2838-4273	3W	137 mm	370 lm	£7.38
FPLS4.5CW/2P	2838-4276	4.5W	165 mm	580 lm	£8.13
FPLS5CW/2P	2838-4279	5W	220 mm	700 mm	£9.38

G24D 2 Pin LED Double Compact Lamp



- Low power consumption
- Long lamp life
- Low surface temperature
- Not Suitable for emergency lighting
- Suitable replacement for compact fluorescent lamps
- Ideal for use in commercial and retail applications
- Guarantee: 2 Years



FROM
£8.75
+VAT

Fusion Ref	Code	Wattage	Length	Lumens	1+
Non-Dimmable - Cool White - 4000K					
FPLD4.5CW/2P	2838-4228	4.5W	116 mm	660 lm	£8.75
FPLD6CW/2P	2838-4234	6W	148 mm	835 mm	£9.88
FPLD9CW/2P	2838-4246	9W	171 mm	1300 lm	£10.63
Non-Dimmable - White - 3500K					
FPLD6W/2P	2838-4240	6W	148 mm	580 lm	£9.88
FPLD9W/2P	2838-4252	9W	171 mm	1300 lm	£10.63

G24Q 4 Pin LED Double Compact Lamp



- Low power consumption
- Long lamp life
- Low surface temperature
- Not Suitable for emergency lighting
- Suitable replacement for compact fluorescent lamps
- Ideal for use in commercial and retail applications
- Guarantee: 2 Years



FROM
£8.75
+VAT

Fusion Ref	Code	Wattage	Length	Lumens	1+
Non-Dimmable - Cool White - 4000K					
FPLD4.5CW/4P	2838-4231	4.5W	109 mm	660 lm	£8.75
FPLD6CW/4P	2838-4237	6W	145 mm	835 mm	£9.88
FPLD9CW/4P	2838-4249	9W	164 mm	1300 lm	£10.63
Non-Dimmable - White - 3500K					
FPLD6W/4P	2838-4243	6W	148 mm	580 lm	£9.88
FPLD9W/4P	2838-4255	9W	171 mm	1300 lm	£10.63



ALL PRICES EXCLUDE VAT

GX24Q 4 Pin LED Triple Compact Lamp



- Low power consumption
- Long lamp life
- Low surface temperature
- Not Suitable for emergency lighting
- Suitable replacement for compact fluorescent lamps
- Ideal for use in commercial and retail applications
- Guarantee: 2 Years



FROM
£10.88
+VAT

Fusion Ref	Code	Wattage	Length	Lumens	1+
Non-Dimmable - Cool White - 4000K					
FPLT6CW/4P	2838-4288	6W	118 mm	840 lm	£10.88
FPLT9CW/4P	2838-4291	9W	138 mm	1260 lm	£11.63
FPLT10CW/4P	2838-4282	10W	146 mm	1375 mm	£12.38
FPLT13CW/4P	2838-4285	13W	167 mm	1780 mm	£14.38

2G11 4 Pin LED PLL Lamp




- Low power consumption
- Long lamp life
- Low surface temperature
- Not Suitable for emergency lighting
- Suitable replacement for compact fluorescent lamps
- Ideal for use in commercial and retail applications
- Guarantee: 2 Years



FROM
£9.88
+VAT

Fusion Ref	Code	Wattage	Length	Lumens	1+
Non-Dimmable - Cool White - 4000K					
FPLL8CW	2838-4270	8W	230 mm	1000 lm	£9.88
FPLL12CW	2838-4258	12W	325 mm	1475 lm	£10.63
FPLL18CW	2838-4261	18W	417 mm	2250 lm	£12.38
FPLL20CW	2838-4264	20W	537 mm	2500 lm	£13.13
FPLL24CW	2838-4267	24W	537 mm	3200 lm	£14.88



Click & collect
At any branch in the UK

LED LAMPS

GR8 2D 2 Pin LED Lamp

- LED replacement for CFLni - Retrofit & Direct to Mains operation
- Suitable for GR8/ 2pins base with Electromagnetic Ballast [CCG] or AC mains
- Like for like retrofit replacement
- LED Lifetime: 25,000 hours [L70/B50]
- No UV output
- Suggested replacement for 16W & 28W 2D fluorescent lamps
- Guarantee: 3 Years



FROM
£11.13
+VAT

Fusion Ref	Code	Wattage	Height	Width	Depth	Lumens	1+
Non-Dimmable - Cool White - 4000K							
F2D7CW/2P	2860-8319	7W	135 mm	135 mm	33 mm	750 lm	£11.13
F2D13CW/2P	2860-8310	13W	200 mm	200 mm	33 mm	1500 lm	£16.13

GR10q 2D 4 Pin LED Lamp

- LED replacement for CFLni - Retrofit & Direct to Mains operation
- Suitable for GR10q/ 4pins base Direct to AC mains ONLY
- Like for like retrofit replacement
- LED Lifetime: 25,000 hours [L70/B50]
- No UV output
- Suggested replacement for 16W, 28W & 38W 2D fluorescent lamps
- Guarantee: 3 Years



Fusion Ref	Code	Wattage	Height	Width	Depth	Lumens	1+
Non-Dimmable - Cool White - 4000K							
F2D7CW/4P	2860-8319	7W	135 mm	135 mm	33 mm	750 lm	£11.13
F2D13CW/4P	2860-8313	13W	200 mm	200 mm	33 mm	1500 lm	£16.13
F2D17CW/4P	2860-8316	17W	200 mm	200 mm	33 mm	1870 lm	£19.13

8W LED CCT Selectable Gear Tray



- Retro fit/replaceable - fits most existing 2D/LED Bulkheads
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 5000K
- Push-fit [loop-in/loop out] terminal block
- Guarantee: 3 Years



Fusion Ref	Code	Height	Ø	Lumens	1+
FGT8	2861-7526	137 mm	190 mm	1050 lm	£23.75
FGT8E3	2861-7529	30 mm	190 mm	1050 lm	£62.37

16W LED CCT Selectable Gear Tray



- Retro fit/replaceable - fits most existing 2D/LED Bulkheads
- Selectable colour temperature: Warm white 3000K, cool white 4000K and daylight 5000K
- Push-fit [loop-in/loop out] terminal block
- Guarantee: 3 Years



Fusion Ref	Code	Height	Ø	Lumens	1+
FGT16	2861-7514	30 mm	243 mm	2050 lm	£29.88
Emergency					
FGT16E3	2861-7517	30 mm	243 mm	2050 lm	£67.37
Sensor					
FGT16S	2861-7520	30 mm	243 mm	2050 lm	£56.24
Sensor Emergency					
FGT16SE3	2861-7523	30 mm	243 mm	2050 lm	£94.87

From our **website** to **your site**

Over **44,000 products** available for next-day delivery*



Click & Collect at your local branch



Browse, research and compare products



Trustpilot rated excellent with over 17,000 5-star reviews



cef.co.uk

*Geographical restrictions may apply

LED LAMPS

Essential LED GU10 Lamps 230V - Pack of 10



- Suitable replacement for 35 and 50W halogen lamps
- Beam angle: 38°
- Lamp life: 20,000 hrs
- Guarantee: 2 Years

Fusion Ref	Code	Wattage	Lumens	Colour Temp	Equivalent Price Each	1+
Non-Dimmable						
FEGU10/2.6/WW/10P	2818-4512	2.6W	257 lm	Warm White - 3000K	£1.75	£17.50
FEGU10/2.6/CW/10P	2818-4509	2.6W	257 lm	Cool White - 4000K	£1.75	£17.50
FEGU10/3.7/WW/10P	2818-4602	3.7W	352 lm	Warm White - 3000K	£2.00	£20.00
FEGU10/3.7/CW/10P	2818-4515	3.7W	352 lm	Cool White - 4000K	£2.00	£20.00
FEGU10/3.7/DW/10P	2818-4590	3.7W	352 lm	Daylight - 6000K	£2.00	£20.00
Dimmable						
FEGU10/3.7/WW/D/10P	2818-4608	3.7W	352 lm	Warm White - 3000K	£2.28	£28.75
FEGU10/3.7/CW/D/10P	2818-4584	3.7W	352 lm	Cool White - 4000K	£2.28	£28.75
FEGU10/3.7/DW/D/10P	2818-4596	3.7W	352 lm	Daylight - 6000K	£2.28	£28.75



FROM
£17.50
+VAT

3.7W Essential LED GU10 Lamps



- Suitable replacement for 50W halogen lamps
- Beam angle: 38°
- Lamp life: 20,000 hrs
- Guarantee: 2 Years



Fusion Ref	Code	Lumens	Colour Temp	1+
Non-Dimmable				
FEGU10/3.7/WW	2818-4599	352 lm	Warm White - 3000K	£2.25
FEGU10/3.7/CW	2818-4578	352 lm	Cool White - 4000K	£2.25
FEGU10/3.7/DW	2818-4587	352 lm	Daylight - 6000K	£2.25
Dimmable				
FEGU10/3.7/WW/D	2818-4605	352 lm	Warm White - 3000K	£3.13
FEGU10/3.7/CW/D	2818-4581	352 lm	Cool White - 4000K	£3.13
FEGU10/3.7/DW/D	2818-4593	352 lm	Daylight - 6000K	£3.13

4.5W LED GU10 Wide Flood Lamps



- Suitable replacement for 50W halogen lamps
- Lamp life: 20,000 hrs
- Guarantee: 2 Years



FROM
£2.58
+VAT

Fusion Ref	Code	Lumens	Colour Temp	1+
Non-Dimmable				
FEGU10WF/4.5/WW	2834-8312	540 lm	Warm White - 3000K	£2.58
FEGU10WF/4.5/CW	2835-2746	540 lm	Cool White - 4000K	£2.58
Dimmable				
FEGU10WF/4.5/WW/D	2838-4225	540 lm	Warm White - 3000K	£3.40
FEGU10WF/4.5/CW/D	2838-4222	540 lm	Cool White - 4000K	£3.40



**Free tea,
coffee & Wi-Fi**

When you visit our branches

LED LAMPS

4W Premium LED GLS Lamps



- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



FROM
£4.25
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
F4BC	2818-4965	BC / B22	480 lm	£4.25
F4ES	2818-4974	ES / E27	480 lm	£4.25

6.75W Premium LED GLS Lamps



- Suitable replacement for 60W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
F6.75BC	2818-4986	BC / B22	810 lm	£6.25
F6.75ES	2818-4998	ES / E27	810 lm	£6.25
Dimmable - Warm White - 2700K				
F6.75BC/D	2818-4995	BC / B22	810 lm	£8.25
F6.75ES/D	2818-5007	ES / E27	810 lm	£8.25
Non-Dimmable - Cool White - 4000K				
F6.75BC/CW	2818-4989	BC / B22	810 lm	£6.25
F6.75ES/CW	2818-5001	ES / E27	810 lm	£6.25
Dimmable - Cool White - 4000K				
F6.75BC/CW/D	2818-4992	BC / B22	810 lm	£8.25
F6.75ES/CW/D	2818-5004	ES / E27	810 lm	£8.25

8.8W Premium LED GLS Lamps



- Suitable replacement for 75W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



FROM
£9.45
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
F8.8BC	2818-5010	BC / B22	1056 lm	£9.45
F8.8ES	2818-5016	ES / E27	1056 lm	£9.45
Dimmable - Warm White - 2700K				
F8.8BC/D	2818-5013	BC / B22	1056 lm	£11.35
F8.8ES/D	2818-5019	ES / E27	1056 lm	£11.35

12.7W Premium LED GLS Lamps



- Suitable replacement for a 100W incandescent lamp
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
F12.7BC	2819-7724	BC / B22	1524 lm	£10.25
F12.7ES	2819-7730	ES / E27	1524 lm	£10.25
Dimmable - Warm White - 2700K				
F12.7BC/D	2819-7727	BC / B22	1524 lm	£11.95
F12.7ES/D	2819-7733	ES / E27	1524 lm	£11.95

4.7W Essential LED GLS Lamps



- Suitable replacement for a 40W incandescent lamp
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 1 Year



FROM
£2.75
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FE4.7BC	2818-5028	BC / B22	470 lm	£2.75
FE4.7ES	2818-5037	ES / E27	470 lm	£10.25
Non-Dimmable - Cool White - 4000K				
FE4.7BC/CW	2816-1880	BC / B22	470 lm	£2.75
FE4.7ES/CW	2818-5040	ES / E27	470 lm	£2.75

8.1W Essential LED GLS Lamps



- Suitable replacement for 60W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



FROM
£4.25
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FE8.1BC	2818-5049	BC / B22	810 lm	£4.25
FE8.1ES	2818-5055	ES / E27	810 lm	£4.25
Dimmable - Warm White - 2700K				
FE8.1BC/D	2818-2757	BC / B22	810 lm	£5.75
FE8.1ES/D	2816-1889	ES / E27	810 lm	£5.75

Easy ways to pay
Cash, card or trade account



LED LAMPS

6W LED Filament GLS Lamps

- Suitable replacement for 60W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



FROM
£6.05
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FF6BC	2818-5088	BC / B22	806 lm	£6.05
FF6ES	2818-5100	ES / E27	806 lm	£6.05
Dimmable - Warm White - 2700K				
FF6BC/D	2818-5097	BC / B22	806 lm	£7.95
FF6ES/D	2818-0564	ES / E27	806 lm	£7.95

4W LED Filament GLS Lamps

- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



FROM
£4.25
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FF4BC	2818-5079	BC / B22	480 lm	£4.25
FF4ES	2818-5085	ES / E27	480 lm	£4.25
Dimmable - Warm White - 2700K				
FF4BC/D	2818-5082	BC / B22	480 lm	£6.25
FF4ES/D	2816-1895	ES / E27	480 lm	£6.25

8W LED Filament GLS Lamps

- Suitable replacement for 75W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FF8BC	2818-5106	BC / B22	1055 lm	£7.25
FF8ES	2818-5112	ES / E27	1055 lm	£7.25
Dimmable - Warm White - 2700K				
FF8BC/D	2818-5109	BC / B22	1055 lm	£8.75
FF8ES/D	2818-5115	ES / E27	1055 lm	£8.75



ALL PRICES EXCLUDE VAT

4W Premium LED Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FC4BC	2818-4521	BC / B22	480 lm	£4.26
FC4ES	2818-4527	ES / E27	480 lm	£4.26
FC4SBC	2818-4539	SBC / B15	480 lm	£4.26
FC4SES	2818-4551	SES / E14	480 lm	£4.26
Non-Dimmable - Cool White - 4000K				
FC4BC/CW	2818-4524	BC / B22	480 lm	£4.26
FC4ES/CW	2818-4530	ES / E27	480 lm	£4.26
FC4SBC/CW	2818-4542	SBC / B15	480 lm	£4.26
FC4SES/CW	2818-4554	SES / E14	480 lm	£4.26
Dimmable - Warm White - 2700K				
FC4BC/D	2818-2754	BC / B22	480 lm	£5.89
FC4ES/D	2818-4536	ES / E27	480 lm	£5.89
FC4SBC/D	2818-4548	SBC / B15	480 lm	£5.89
FC4SES/D	2818-4560	SES / E14	480 lm	£5.89
Dimmable - Cool White - 4000K				
FC4BC/CW/D	2816-1868	BC / B22	480 lm	£5.89
FC4ES/CW/D	2818-4533	ES / E27	480 lm	£5.89
FC4SBC/CW/D	2818-4545	SBC / B15	480 lm	£5.89
FC4SES/CW/D	2818-4557	SES / E14	480 lm	£5.89

2.8W Essential LED Candle Lamps

- Suitable replacement for 25W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



FROM
£3.40
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FEC2.8BC	2818-4563	BC / B22	252 lm	£3.40
FEC2.8ES	2818-4566	ES / E27	252 lm	£3.40
FEC2.8SBC	2818-4569	SBC / B15	252 lm	£3.40
FEC2.8SES	2818-4572	SES / E14	252 lm	£3.40

Same day range

Almost 3,000 everyday essential products available in branch to take away today



LED LAMPS

4.7W Essential LED Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



FROM
£4.53
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FEC4.7BC	2818-4575	BC / B22	470 lm	£4.53
FEC4.7ES	2818-4704	ES / E27	470 lm	£4.53
FEC4.7SBC	2818-0558	SBC / B15	470 lm	£4.53
FEC4.7SES	2818-4725	SES / E14	470 lm	£4.53
Dimmable - Warm White - 2700K				
FEC4.7BC/D	2818-4701	BC / B22	470 lm	£5.99
FEC4.7ES/D	2818-4713	ES / E27	470 lm	£5.99
FEC4.7SBC/D	2818-4722	SBC / B15	470 lm	£5.99
FEC4.7SES/D	2816-1892	SES / E14	470 lm	£5.99

2W LED Filament Candle Lamps

- Suitable replacement for 25W incandescent lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



FROM
£3.76
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FFC2BC	2818-4818	BC / B22	250 lm	£3.76
FFC2ES	2818-4821	ES / E27	250 lm	£3.76
FFC2SBC	2818-4824	SBC / B15	250 lm	£3.76
FFC2SES	2818-4827	SES / E14	250 lm	£3.76

4W LED Filament Candle Lamps

- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



FROM
£4.26
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FFC4BC	2818-4830	BC / B22	480 lm	£4.26
FFC4ES	2818-4845	ES / E27	480 lm	£4.26
FFC4SBC	2818-4863	SBC / B15	480 lm	£4.26
FFC4SES	2818-4881	SES / E14	480 lm	£4.26
Dimmable - Warm White - 2700K				
FFC4BC/D	2818-4842	BC / B22	480 lm	£5.89
FFC4ES/D	2818-4860	ES / E27	480 lm	£5.89
FFC4SBC/D	2818-4878	SBC / B15	480 lm	£5.89
FFC4SES/D	2818-4896	SES / E14	480 lm	£5.89

4W LED Filament Candle Amber Lamps

- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Fusion Ref	Code	Cap	Lumens	1+
Dimmable - Warm White - 2200K				
FFC4BC/A/D	2816-1898	BC / B22	380 lm	£5.89
FFC4ES/A/D	2818-4851	ES / E27	380 lm	£5.89
FFC4SBC/A/D	2818-4869	SBC / B15	380 lm	£5.89
FFC4SES/A/D	2818-4887	SES / E14	380 lm	£5.89



Open an account
Online or in branch

LED LAMPS

4W LED Golf Ball Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FDR4BC	2818-4659	BC / B22	480 lm	£6.35
FDR4ES	2818-4665	ES / E27	480 lm	£6.35
FDR4SBC	2818-4674	SBC / B15	480 lm	£6.35
FDR4SES	2818-4686	SES / E14	480 lm	£6.35
Non-Dimmable - Cool White - 4000K				
FDR4BC/CW	2818-0567	BC / B22	480 lm	£6.35
FDR4ES/CW	2816-1874	ES / E27	480 lm	£6.35
FDR4SBC/CW	2818-4677	SBC / B15	480 lm	£6.35
FDR4SES/CW	2816-1877	SES / E14	480 lm	£6.35
Dimmable - Warm White - 2700K				
FDR4BC/D	2818-4662	BC / B22	480 lm	£7.40
FDR4ES/D	2818-4671	ES / E27	480 lm	£7.40
FDR4SBC/D	2818-4683	SBC / B15	480 lm	£7.40
FDR4SES/D	2818-4692	SES / E14	480 lm	£7.40
Dimmable - Cool White - 4000K				
FDR4BC/CW/D	2816-1871	BC / B22	480 lm	£7.40
FDR4ES/CW/D	2818-4668	ES / E27	480 lm	£7.40
FDR4SBC/CW/D	2818-4680	SBC / B15	480 lm	£7.40
FDR4SES/CW/D	2818-4689	SES / E14	480 lm	£7.40

4.7W Essential LED Golf Ball Lamps

- Suitable replacement for 40W filament lamps
- Finish: Opal
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



FROM
£4.50
+VAT

Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FEDR4.7BC	2818-4770	BC / B22	470 lm	£4.50
FEDR4.7ES	2818-4782	ES / E27	470 lm	£4.50
FEDR4.7SBC	2818-4794	SBC / B15	470 lm	£4.50
FEDR4.7SES	2818-4806	SES / E14	470 lm	£4.50



ALL PRICES EXCLUDE VAT

4W LED Filament Golf Ball Lamps

- Suitable replacement for 40W filament lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
FFDR4BC	2818-4935	BC / B22	480 lm	£4.77
FFDR4ES	2816-1901	ES / E27	480 lm	£4.77
FFDR4SBC	2818-2760	SBC / B15	480 lm	£4.77
FFDR4SES	2818-4944	SES / E14	480 lm	£4.77
Dimmable - Warm White - 2700K				
FFDR4BC/D	2818-4938	BC / B22	480 lm	£6.60
FFDR4ES/D	2816-1904	ES / E27	480 lm	£6.60
FFDR4SBC/D	2818-4941	SBC / B15	480 lm	£6.60
FFDR4SES/D	2818-4947	SES / E14	480 lm	£6.60

LED HID Alternative Lamps

- Ideal for miniature high bays, floodlights and lanterns
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



FROM
£37.08
+VAT

Fusion Ref	Code	Wattage	Cap	Colour Temperature	Lumens	1+
FHIDG12	2612-4382	8W	G12	4000K	1100 lm	£37.08
EDLED/HID11	1414-1569	11W	ES / E27	6000K	1150 lm	£45.75
EDLED/HID15	2253-2830	15W	ES / E27	6000K	1575 lm	£49.95
FHID20/E27	2448-1897	20W	ES / E27	6000K	2600 lm	£47.42

LED HID Discharge Lamps

- Ideal for low bays, high bays and floodlights
- Lamp life: 25,000 hrs
- Cap: GES/E40
- Colour Temperature: 6000K Daylight
- Guarantee: 3 Years




FROM
£61.92
+VAT

Fusion Ref	Code	Wattage	Lumens	1+
FHID30	2448-1900	30W	3900 lm	£61.92
FHID30/E27	2448-1903	30W	3900 lm	£61.92
FHID60	2448-1906	60W	8000 lm	£74.44
FHID85	2448-1909	85W	11000 lm	£88.77
FHID100	2448-1891	100W	13000 lm	£99.10
FHID120	2448-1894	120W	15000 lm	£115.79

The CEF Trade App

FREE
to download

Like your music app,
but **with more AC and DC**



Search and order **thousands of products** from your pocket

- Check stock levels
- Pay securely
- Scan catalogue pages using your smartphone
- Create a trade account
- Check invoices, statements and credit notes
- Get delivery alerts direct to your phone
- Quotations

Download on the
App Store




GET IT ON
Google Play



LED LAMPS

LED Linear Lamps

- Ideal for retro fitting into floodlights and uplighters
- Cap: R7s
- Lamp life: 25,000 hrs
- Guarantee: 3 Years



2123-0995




2236-2997

Fusion Ref	Code	Wattage	Colour Temperature	Lumens	1+
CRLED/78	2123-0995	5W	6000K	500 lm	£11.25
CRLED/78WW	2146-8436	5W	3000K	450 lm	£11.25
CRLED/118	2123-0977	9W	6000K	1050 lm	£12.75
CRLED/118WW	2146-8433	9W	3000K	1000 lm	£12.75
CRLED/118 110V	2236-2997	9W	6000K	1050 lm	£11.75

FROM
£11.25
+VAT

2W LED G4 Capsule Lamps - Pack of 2

- Suitable replacement for 10 and 20W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



FROM
£10.51
+VAT

Fusion Ref	Code	Lumens	1+
Non-Dimmable - Warm White - 3000K			
FG4/2P	2196-2761	200 lm	£10.51
Non-Dimmable - Cool White - 4000K			
FG4CW/2P	2247-2401	200 lm	£10.51

3.3W LED G9 Capsule Lamps - Pack of 2

- Suitable replacement for 40W halogen lamps
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



FROM
£10.95
+VAT

Fusion Ref	Code	Lumens	1+
Non-Dimmable - Warm White - 3000K			
FG9/2P	2196-2764	350 lm	£10.95
Non-Dimmable - Cool White - 4000K			
FG9CW/2P	2247-2404	350 lm	£10.95

4.4W LED G9 Capsule Lamps

- Suitable replacement for 40W halogen lamps
- 32 super bright SMDs
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



Fusion Ref	Code	Lumens	1+
Non-Dimmable - Warm White - 3000K			
FG9/D	2658-6514	470 lm	£6.75
Non-Dimmable - Cool White - 4000K			
FG9CW/D	2705-9821	480 lm	£6.75

LED GY6.35 Capsule Lamps

- Ideal for interior lighting applications such as displays, shop windows and restaurants
- Lamp life: 15,000 hrs
- Guarantee: 1 Year



Fusion Ref	Code	Wattage	Lumens	1+
Non-Dimmable - Warm White - 3000K				
FGY6.35/2.6WW	2786-2006	2.6W	300 lm	£7.63
FGY6.35/4WW	2786-2012	4W	470 lm	£9.18
Non-Dimmable - Cool White - 4000K				
FGY6.35/2.6CW	2786-2003	2.6W	300 lm	£7.63
FGY6.35/4CW	2786-2009	4W	470 lm	£9.18

LED Pygmy Lamps

- Ideal for interior lighting applications such as displays, shop windows and restaurants
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Fusion Ref	Code	Wattage	Lumens	1+
Non-Dimmable - Warm White - 2700K				
EDLED/FPT20SBC	2713-8352	1.5W	150 lm	£8.50
EDLED/FPT20SES	2713-8355	1.5W	150 lm	£8.50
EDLED/FPT28BC	2713-8358	1.8W	180 lm	£8.50
EDLED/FPT28ES	2713-8361	1.8W	180 lm	£8.50

Branch opening hours

Mon-Fri 7:30-5:30
Sat 8:30-12:00

[local exceptions may apply]

LED LAMPS

2W LED Cooker Hood Lamp

- Suitable replacement for 40W cooker hood lamps
- Finish: Clear
- Lamp life: 15,000 hrs
- Guarantee: 2 Years



Fusion Ref	Code	Cap	Lumens	1+
Non-Dimmable - Warm White - 2700K				
EDLED/FH00DSES	2196-3070	SES / E14	180 lm	£6.50

LED Striplights

- Suitable replacement for 30 and 60W filament lamps
- Finish: Opal
- Lamp life: 20,000 hrs
- Guarantee: 2 Years



FROM
£11.75
+VAT



Fusion Ref	Code	Wattage	Cap	Length	Lumens	1+
Non-Dimmable - Warm White - 3000K						
CRLED/221	2302-6582	4W	S15s	221 mm	350 lm	£11.75
CRLED/284	2302-6585	6W	S15s	284 mm	550 lm	£11.75

**There's always
a CEF near you**


**Over 390 branches
nationwide**

Friendly experts
who are ready to
help you find a
wide range of
essential electrical
products at a
branch near you!



**Find your nearest
branch at**

cef.co.uk/branches



Sustainable Electrical Waste Recycling

**waste
experts**
flexible - reliable - responsible

Protecting our future, together

CEF are the **only electrical distributor in the UK** with an in-house electrical waste recycling facility, offering a complete one-stop recycling service and ensuring compliance with all current legislation.

Did you know?

- We recycle **over 1 million lamps** each year.
- We recycle **more electrical waste** than any other UK distributor.
- **98%** of the electrical waste we receive is recycled.
- Our nationwide network of **over 390 branches** provides convenient service.



Visit wasteexperts.co.uk
for more information



LIGHTING ESSENTIALS
Pricing shown for illustrative purposes only.



**YOUR
ELECTRICAL
EXPERTS**

Contact your local branch for more details

